


Author's Accepted Manuscript

Comparison of brain and spinal cord magnetic resonance imaging features in neuromyelitis optica spectrum disorders patients with or without aquaporin-4 antibody

Moli Fan, Ying Fu, Lei Su, Yi Shen, Kristofer Wood, Li Yang, Fu-Dong Shi, Yaou Liu



PII: S2211-0348(17)30018-4
DOI: <http://dx.doi.org/10.1016/j.msard.2017.02.003>
Reference: MSARD530

To appear in: *Multiple Sclerosis and Related Disorders*

Received date: 24 January 2017

Accepted date: 3 February 2017

Cite this article as: Moli Fan, Ying Fu, Lei Su, Yi Shen, Kristofer Wood, Li Yang, Fu-Dong Shi and Yaou Liu, Comparison of brain and spinal cord magnetic resonance imaging features in neuromyelitis optica spectrum disorder patients with or without aquaporin-4 antibody, *Multiple Sclerosis and Related Disorders*, <http://dx.doi.org/10.1016/j.msard.2017.02.003>

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Comparison of brain and spinal cord magnetic resonance imaging features in
neuromyelitis optica spectrum disorders patients with or without aquaporin-4
antibody**

Moli Fan¹, Ying Fu¹, Lei Su¹, Yi Shen¹, Kristofer Wood², Li Yang¹, Fu-Dong Shi^{1,2}, Yaou Liu^{1,3,4*}

¹Department of Neurology, Key Laboratory of Posttraumatic Neuro-repair and Regeneration in the Central Nervous System, Tianjin Neurological Institute, Tianjin Medical University General Hospital, China

²Barrow Neurological Institute, St Joseph's Hospital and Medical Center, USA

³Department of Radiology, Xuanwu Hospital, Capital Medical University, China

⁴Department of Radiology and Nuclear Medicine, Neuroscience Campus Amsterdam, VU University Medical Center, Amsterdam 1007 MB, The Netherlands

***Corresponding Authors:** Yaou Liu, MD, Department of Neurology, Tianjin Neurological Institute, Tianjin Medical University General Hospital, 154, Anshan Road, Tianjin 300052, China. Tel: +86 13810345782; Fax: +86 2260817429. E-mail: yaouliu80@163.com

Abstract

Background:

The spinal cord and brain measurements are rarely investigated in neuromyelitis optica (NMO) patients with and without antibodies to aquaporin-4 (AQP4), directly compared to multiple sclerosis (MS) patients.

Download English Version:

<https://daneshyari.com/en/article/5590904>

Download Persian Version:

<https://daneshyari.com/article/5590904>

[Daneshyari.com](https://daneshyari.com)