

## Accepted Manuscript

Percutaneous Balloon Pericardiotomy: Treatment Of Choice In Patients With Advanced Oncological Disease And Severe Pericardial Effusion

Francisco Javier Irazusta, Santiago Jiménez-Valero, Daniele Gemma, Pablo Meras, Guillermo Galeote, Angel Sanchez-Recalde, Veronica Rial, Raul Moreno, Jose Luis Lopez-Sendon

PII: S1553-8389(17)30113-6  
DOI: doi: [10.1016/j.carrev.2017.03.029](https://doi.org/10.1016/j.carrev.2017.03.029)  
Reference: CARREV 1034

To appear in: *Cardiovascular Revascularization Medicine*

Received date: 28 February 2017  
Revised date: 22 March 2017  
Accepted date: 29 March 2017



Please cite this article as: Irazusta Francisco Javier, Jiménez-Valero Santiago, Gemma Daniele, Meras Pablo, Galeote Guillermo, Sanchez-Recalde Angel, Rial Veronica, Moreno Raul, Lopez-Sendon Jose Luis, Percutaneous Balloon Pericardiotomy: Treatment Of Choice In Patients With Advanced Oncological Disease And Severe Pericardial Effusion, *Cardiovascular Revascularization Medicine* (2017), doi: [10.1016/j.carrev.2017.03.029](https://doi.org/10.1016/j.carrev.2017.03.029)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Title: Percutaneous Balloon Pericardiotomy: Treatment Of Choice In Patients  
With Advanced Oncological Disease And Severe Pericardial Effusion**

**Keywords:** Percutaneous Balloon Pericardiotomy; Malignant Pericardial Effusion;  
Oncological Disease

**Authors:** Francisco Javier Irazusta, MD<sub>1</sub>, Santiago Jiménez-Valero, MD<sub>1</sub>, Daniele  
Gemma, MD<sub>1</sub>, Pablo Meras, MD<sub>1</sub>, Guillermo Galeote, MD<sub>1</sub>, Angel Sanchez-Recalde,  
MD<sub>1</sub>, Veronica Rial, MD<sub>1</sub>, Raul Moreno, MD, PhD<sub>1</sub>, Jose Luis Lopez-Sendon, MD,  
PhD<sub>1</sub>

1. From the Cardiology Department, La Paz University Hospital, Madrid, Spain

**Corresponding author:** Francisco Javier Irazusta.

Postal adress: La Paz University Hospital. Paseo de la Castellana, 261, 28046 Madrid,  
Spain. Telephone number: +34 628938904. Mail: firazusta88@gmail.com

Total words: 2182

**ABSTRACT**

**Introduction and objectives:** Malignant pericardial effusion has a high recurrence rate  
after pericardiocentesis. We sought to confirm the efficacy and feasibility of  
percutaneous balloon pericardiotomy (PBP) as the initial treatment of choice for these

Download English Version:

<https://daneshyari.com/en/article/5592678>

Download Persian Version:

<https://daneshyari.com/article/5592678>

[Daneshyari.com](https://daneshyari.com)