Stress-induced alterations in estradiol sensitivity increase risk for obesity in women

Vasiliki Michopoulos

PII: S0031-9384(16)30244-X
DOI: doi: 10.1016/j.physbeh.2016.05.016
Reference: PHB 11347

To appear in: *Physiology & Behavior*

Received date: 7 June 2015
Revised date: 4 April 2016
Accepted date: 11 May 2016

Please cite this article as: Michopoulos Vasiliki, Stress-induced alterations in estradiol sensitivity increase risk for obesity in women, *Physiology & Behavior* (2016), doi: 10.1016/j.physbeh.2016.05.016

Stress-Induced Alterations in Estradiol Sensitivity Increase Risk for Obesity in Women

Vasiliki Michopoulos, PhD[1,2]

[1]Department of Psychiatry and Behavioral Sciences, Emory University School of Medicine, Atlanta, GA; [2]Yerkes National Primate Research Center, Atlanta

Corresponding Author:

Vasiliki Michopoulos, PhD

Department of Psychiatry and Behavioral Sciences

Emory University School of Medicine

49 Jesse Hill Jr. NE, Atlanta, GA 30303

E-mail: vmichop@emory.edu

Keywords: stress axis, obesity, glucocorticoids, estradiol, sex differences, animal models