Accepted Manuscript

Title: Relationship between quantitative and descriptive methods of studying blood flow through intrapulmonary arteriovenous anastomoses during exercise

Authors: Joseph W. Duke, Jonathan E. Elliott, Steven S. Laurie, Thomas Voelkel, Igor M. Gladstone, Mathews B. Fish, Andrew T. Lovering

PII: S1569-9048(17)30023-X

DOI: http://dx.doi.org/doi:10.1016/j.resp.2017.05.006


Reference: RESPNB 2812

To appear in: Respiratory Physiology & Neurobiology

Received date: 18-1-2017 Revised date: 9-5-2017 Accepted date: 15-5-2017

Please cite this article as: Duke, Joseph W., Elliott, Jonathan E., Laurie, Steven S., Voelkel, Thomas, Gladstone, Igor M., Fish, Mathews B., Lovering, Andrew T., Relationship between quantitative and descriptive methods of studying blood flow through intrapulmonary arteriovenous anastomoses during exercise. Respiratory Physiology and Neurobiology http://dx.doi.org/10.1016/j.resp.2017.05.006

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Relationship between quantitative and descriptive methods of studying blood flow through intrapulmonary arteriovenous anastomoses during exercise

Joseph W. Duke¹, Jonathan E. Elliott², Steven S. Laurie³, Thomas Voelkel⁴, Igor M. Gladstone⁵, Mathews B. Fish⁴, and Andrew T. Lovering²

Corresponding author and address for reprints:

Joseph W. Duke, PhD Assistant Professor Department of Biological Sciences 617 S. Beaver St. Flagstaff, AZ 86011

Phone: 928-523-0879 Email: JJ.Duke@nau.edu

Keywords: Respiratory, pulmonary circulation, contrast echocardiography, exercise, intrapulmonary shunt

HIGHLIGHTS

- Macroaggregates and bubble scores are used to study intrapulmonary shunt in humans
- These methods have not been investigated simultaneously in the same subjects
- We used both methods and investigated whether they were related during exercise
- There was a positive and significant relationship between these methods
- Large bubble scores during exercise correspond to a meaningful magnitude of shunt

¹Northern Arizona University, Department of Biological Sciences, Flagstaff, AZ, USA

²University of Oregon, Department of Human Physiology, Eugene, OR, USA

³KBRwyle, NASA Johnson Space Center, Houston, TX, USA

⁴Sacred Heart Medical Center, Department of Nuclear Medicine, Springfield, OR, USA

⁵Oregon Health and Sciences University, Department of Pediatrics, Portland, OR, USA

Download English Version:

https://daneshyari.com/en/article/5594150

Download Persian Version:

https://daneshyari.com/article/5594150

<u>Daneshyari.com</u>