


Accepted Manuscript

Brachial-ankle pulse wave velocity is associated with 3-month functional prognosis after ischemic stroke

Kentaro Ishizuka, Takao Hoshino, Satoru Shimizu, Yuka Shirai, Satoko Mizuno, Sono Toi, Kenji Maruyama, Shinichiro Uchiyama, Kazuo Kitagawa



PII: S0021-9150(16)31288-6

DOI: [10.1016/j.atherosclerosis.2016.08.027](https://doi.org/10.1016/j.atherosclerosis.2016.08.027)

Reference: ATH 14759

To appear in: *Atherosclerosis*

Received Date: 22 February 2016

Revised Date: 29 July 2016

Accepted Date: 23 August 2016

Please cite this article as: Ishizuka K, Hoshino T, Shimizu S, Shirai Y, Mizuno S, Toi S, Maruyama K, Uchiyama S, Kitagawa K, Brachial-ankle pulse wave velocity is associated with 3-month functional prognosis after ischemic stroke, *Atherosclerosis* (2016), doi: 10.1016/j.atherosclerosis.2016.08.027.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Brachial-ankle pulse wave velocity is associated with 3-month functional prognosis after ischemic stroke

Kentaro Ishizuka ^{a*}, Takao Hoshino ^a, Satoru Shimizu ^b, Yuka Shirai ^a, Satoko Mizuno ^a, Sono Toi ^a, Kenji Maruyama ^a, Shinichiro Uchiyama ^{a, c, d}, Kazuo Kitagawa ^a

^a Department of Neurology, Tokyo Women's Medical University School of Medicine, Tokyo, Japan

^b Medical Research Institute, Tokyo Women's Medical University School of Medicine, Tokyo, Japan

^c Clinical Research Center for Medicine, International University of Health and Welfare, Tokyo, Japan

^d Center for Brain and Cerebral Vessels, Sanno Hospital and Sanno Medical Center, Tokyo, Japan

*Corresponding author: Department of Neurology, Tokyo Women's Medical University School of Medicine, 8-1 Kawada-cho, Shinjuku-ku, Tokyo 162-8666, Japan.

Tel: +81-3-3353-8111; fax: +81-3-3341-0613.

E-mail address: kishizuka@nij.twmu.ac.jp (K. Ishizuka)

Download English Version:

<https://daneshyari.com/en/article/5599735>

Download Persian Version:

<https://daneshyari.com/article/5599735>

[Daneshyari.com](https://daneshyari.com)