## Accepted Manuscript

Rebuttal From Drs. Perez, Bastian and Oncken

Mario F. Perez, MD, MPH, Lori A. Bastian, MD, MPH, Cheryl Oncken, MD, MPH

PII: S0012-3692(17)30699-2

DOI: 10.1016/j.chest.2017.03.030

Reference: CHEST 1037

To appear in: CHEST

Received Date: 13 March 2017

Accepted Date: 13 March 2017

Please cite this article as: Perez MF, Bastian LA, Oncken C, Rebuttal From Drs. Perez, Bastian and Oncken, *CHEST* (2017), doi: 10.1016/j.chest.2017.03.030.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



### ACCEPTED MANUSCRIPT

489 words and 5 references.

Rebuttal From Drs. Perez, Bastian and Oncken

Word count: 489

#### 1st author

Mario F. Perez, MD, MPH; email maperez@uchc.edu; UConn School of Medicine

Lori A. Bastian MD, MPH, Emails: lori.bastian@yale.edu and lori.bastian@va.gov; Yale University and VA Connecticut.

Cheryl Oncken, MD, MPH, E-mail oncken@.uchc.edu; UConn School of Medicine.

Mario F. Perez, MD, MPH, University of Connecticut School of Medicine, 263 Farmington Avenue, Farmington, CT 06030-1321; Phone: (860) 679-3585;e-mail maperez@uchc.edu

Correspondence to: Cheryl Oncken MD, MPH @ oncken@uchc.edu

#### **Conflict of interest statement:**

Cheryl Oncken reports ongoing NIH funding for a clinical trial examining the efficacy of the nicotine inhaler for smoking cessation in pregnant women. Pfizer pharmaceuticals has provided free nicotine and placebo inhaler product for this study.

Mario F. Perez- No conflict of interest

Lori A. Bastian- No conflict of interest

We agree with Dr. Hitsman and colleagues (1) that smoking continues to be a global health problem and one of the most common causes of preventable death. We believe that clinicians from every discipline (e.g., physicians, nurses, nurse practitioners, physician assistants, social workers, psychologists, behavioral specialists, pharmacists, dentists and dental hygienists) should be encouraged to address smoking with their patients at every opportunity. However, we disagree that advanced practice professionals (APPs) are more likely to achieve better tobacco cessation results than physicians.

Download English Version:

# https://daneshyari.com/en/article/5600277

Download Persian Version:

https://daneshyari.com/article/5600277

Daneshyari.com