

Accepted Manuscript

Lead reliability; how can we do better?

Charles J. Love, MD FACC FAHA FHRS CCDS

PII: S1547-5271(17)30834-2

DOI: [10.1016/j.hrthm.2017.06.032](https://doi.org/10.1016/j.hrthm.2017.06.032)

Reference: HRTHM 7219

To appear in: *Heart Rhythm*

Received Date: 25 May 2017

Please cite this article as: Love CJ, Lead reliability; how can we do better?, *Heart Rhythm* (2017), doi: 10.1016/j.hrthm.2017.06.032.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Lead reliability; how can we do better?

Invited Editorial

Charles J. Love, MD FACC FAHA FHRS CCDS

Johns Hopkins Hospital

600 N. Wolfe St / Carnegie 592B

Baltimore MD, 21287 USA

614-395-8133

cjlovemd@gmail.com

Word count: 1037

Conflicts:

Consultant to Medtronic, St. Jude Medical, Spectranetics

Download English Version:

<https://daneshyari.com/en/article/5603056>

Download Persian Version:

<https://daneshyari.com/article/5603056>

[Daneshyari.com](https://daneshyari.com)