# Accepted Manuscript


Comprehensive use of cardiac computed tomography to guide left ventricular lead placement in cardiac resynchronization therapy.

Jonathan M. Behar, MBBS, Ronak Rajani, MD, Amir Pourmorteza, PhD, Rebecca Preston, MBBS, Orod Razeghi, PhD, Steve Niederer, PhD, Shaumik Adhya, MD, Simon Claridge, MBBS, Tom Jackson, MBBS, Ben Sieniewicz, MBBS, Justin Gould, BSc, Gerry Carr-White, PhD, Reza Razavi, MD, Elliot McVeigh, PhD, Christopher Aldo Rinaldi, MD FHRS

PII: S1547-5271(17)30574-X

DOI: 10.1016/j.hrthm.2017.04.041

Reference: HRTHM 7143

To appear in: *Heart Rhythm*

Received Date: 26 January 2017

Please cite this article as: Behar JM, Rajani R, Pourmorteza A, Preston R, Razeghi O, Niederer S, Adhya S, Claridge S, Jackson T, Sieniewicz B, Gould J, Carr-White G, Razavi R, McVeigh E, Rinaldi CA, Comprehensive use of cardiac computed tomography to guide left ventricular lead placement in cardiac resynchronization therapy., *Heart Rhythm* (2017), doi: 10.1016/j.hrthm.2017.04.041.


Low Amplitude Strain
AVOID
Low Amplitude Strain
AVOID
Late
Activation
TARGET
Time to 10% contraction (% of R-R)
TARGET
(%RR)
50
40
30
20
10
0