Accepted Manuscript

Catheter ablation of atrial fibrillation is associated with reduced risk of stroke and mortality: A propensity-matched analysis

Walid Saliba, M.D, MPH, Jorge E. Schliamser, M.D, Idit Lavi, MPH, Ofra Barnett-Griness, Ph.D, Naomi Gronich, M.D, Gad Rennert, M.D., Ph.D

PII: \$1547-5271(17)30159-5

DOI: 10.1016/j.hrthm.2017.02.001


Reference: HRTHM 7028

To appear in: Heart Rhythm

Received Date: 21 September 2016

Please cite this article as: Saliba W, Schliamser JE, Lavi I, Barnett-Griness O, Gronich N, Rennert G, Catheter ablation of atrial fibrillation is associated with reduced risk of stroke and mortality: A propensity-matched analysis, *Heart Rhythm* (2017), doi: 10.1016/j.hrthm.2017.02.001.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Catheter ablation of atrial fibrillation is associated with reduced risk of stroke and mortality: A propensity-matched analysis

Short title: Catheter ablation and stroke in atrial fibrillation

Walid Saliba, M.D., MPH*,†, Jorge E. Schliamser, M.D.‡, Idit Lavi, MPH*,£, Ofra Barnett-Griness, Ph.D*,£, Naomi Gronich, M.D.*,†, Gad Rennert, M.D., Ph.D*,†,§

From the *Department of Community Medicine and Epidemiology, Lady Davis Carmel Medical Center, Clalit Health Services, [†]Ruth and Bruce Rappaport Faculty of Medicine, Technion–Israel Institute of Technology, Haifa, Israel, [‡]Department of Cardiovascular Medicine, Lady Davis Carmel Medical Center, Clalit Health Services, [£]Statistical Unit, Lady Davis Carmel Medical Center, Clalit Health Services, and §Department of Epidemiology and Disease Prevention, Office of the Chief Physician, Clalit Health Services Headquarters, Tel Aviv, Israel.

Word count: 4815

No conflict of interest or financial disclosures were reported by the authors of this paper

Address of corresponding author:

Walid Saliba, M.D., MPH

Department of Community Medicine and Epidemiology, Carmel Medical Center, 7

Michal St. Haifa 34362, Israel. Tel: 972-4-825 0474 Fax: 972-4-834 4358

E-mail: saliba_wa@clalit.org.il

Download English Version:

https://daneshyari.com/en/article/5603422

Download Persian Version:

https://daneshyari.com/article/5603422

<u>Daneshyari.com</u>