

Accepted Manuscript


Elevated NT-proBNP is associated with unfavorably altered plasma fibrin clot properties in atrial fibrillation

Paweł T. Matusik, Patrycja S. Matusik, Zdzisława Kornacewicz-Jach, Barbara Małecka, Andrzej Zabek, Anetta Undas

PII: S0167-5273(17)31785-0
DOI: doi:[10.1016/j.ijcard.2017.05.060](https://doi.org/10.1016/j.ijcard.2017.05.060)
Reference: IJCA 25018

To appear in: *International Journal of Cardiology*

Received date: 20 March 2017
Revised date: 9 May 2017
Accepted date: 15 May 2017



Please cite this article as: Matusik Paweł T., Matusik Patrycja S., Kornacewicz-Jach Zdzisława, Małecka Barbara, Zabek Andrzej, Undas Anetta, Elevated NT-proBNP is associated with unfavorably altered plasma fibrin clot properties in atrial fibrillation, *International Journal of Cardiology* (2017), doi:[10.1016/j.ijcard.2017.05.060](https://doi.org/10.1016/j.ijcard.2017.05.060)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Elevated NT-proBNP is associated with unfavorably altered plasma fibrin clot properties in atrial fibrillation

Short title: Determinants of clot properties in atrial fibrillation

Paweł T. Matusik, MD, PhD^{1,2}, Patrycja S. Matusik, MD³, Zdzisława Kornacewicz-Jach, MD, PhD⁴, Barbara Malecka, MD, PhD^{1,5}, Andrzej Ząbek, MD, MSc, PhD¹, Anetta Undas, MD, PhD⁵

¹ Department of Electrocardiology, The John Paul II Hospital, 80 Pradnicka St., 31-202 Kraków, Poland

² Translational Medicine Laboratory, Department of Internal and Agricultural Medicine, Jagiellonian University Medical College, 1 Skarbowa St., 31-121 Kraków, Poland

³ The J. Dietl Specialist Hospital, 4 Skarbowa St., 31-121 Kraków, Poland

⁴ Department of Cardiology, Pomeranian Medical University, 72 Powstańców Wlkp. St., 70-111 Szczecin, Poland

⁵ Institute of Cardiology, Jagiellonian University Medical College, 80 Pradnicka St., 31-202 Kraków, Poland

Contributions:

P.T.M. (pawel.matusik@wp.eu): acquisition of data, statistical analysis, interpretation of data, writing the manuscript.

P.S.M. (patrycja.s.matusik@gmail.com) and A.Z. (andrzej_j_z@poczta.onet.pl): acquisition of data; revising article critically for important intellectual content.

Z.K.-J. (kardio@sci.pam.szczecin.pl) and B.M. (barbara_malecka@o2.pl): data interpretation and revising article critically for important intellectual content; final approval of the version to be submitted.

A.U. (mmundas@cyf-kr.edu.pl): the conception and design of the study, acquisition of data, data interpretation, final approval of the version to be submitted.

All authors have approved the final article.

Correspondence to:

Paweł T. Matusik, M.D., Ph.D., Department of Electrocardiology, The John Paul II Hospital, 80 Pradnicka Street, 31-202 Kraków, Poland. Phone: +48 12 614 22 77, fax: +48 12 633 23 99.

E-mail: pawel.matusik@wp.eu

Acknowledgment

The authors thank Agnieszka Pac, PhD for her valuable assistance in performing statistical analyses and interpretation of the data. This work was supported by a grant of Jagiellonian University (K/ZDS/005802), to A.U. This study was an initiative of the Women's Section of the Polish Cardiac Society.

Conflict of interest: The authors report no relationships that could be construed as a conflict of interest.

Keywords: Atrial fibrillation, fibrin, clot properties, NT-proBNP

Download English Version:

<https://daneshyari.com/en/article/5604259>

Download Persian Version:

<https://daneshyari.com/article/5604259>

[Daneshyari.com](https://daneshyari.com)