

## Accepted Manuscript

Multimodality Imaging Approach in the Diagnosis of Chronic Myocarditis with Preserved Left Ventricular Ejection Fraction (MCpEF): The Role of 2D Speckle-Tracking Echocardiography

Kasner Mario, Aleksandrov Aleksandar, Escher Felicitas, Al-Saadi Nidal, Makowski Markus, Spillmann Frank, Genger Martin, Schultheiss Heinz-Peter, Kühl Uwe, Pieske Burkert, A. Morris Daniel, Noutsias Michel, Tschöpe Carsten

PII: S0167-5273(16)33983-3  
DOI: doi:[10.1016/j.ijcard.2017.05.038](https://doi.org/10.1016/j.ijcard.2017.05.038)  
Reference: IJCA 24996

To appear in: *International Journal of Cardiology*

Received date: 18 November 2016  
Revised date: 3 May 2017  
Accepted date: 8 May 2017



Please cite this article as: Mario Kasner, Aleksandar Aleksandrov, Felicitas Escher, Nidal Al-Saadi, Markus Makowski, Frank Spillmann, Martin Genger, Heinz-Peter Schultheiss, Uwe Kühl, Burkert Pieske, Morris Daniel A, Michel Noutsias, Carsten Tschöpe, Multimodality Imaging Approach in the Diagnosis of Chronic Myocarditis with Preserved Left Ventricular Ejection Fraction (MCpEF): The Role of 2D Speckle-Tracking Echocardiography, *International Journal of Cardiology* (2017), doi:[10.1016/j.ijcard.2017.05.038](https://doi.org/10.1016/j.ijcard.2017.05.038)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Multimodality Imaging Approach in the Diagnosis of  
Chronic Myocarditis with Preserved Left Ventricular Ejection Fraction (MCpEF):  
The Role of 2D Speckle-Tracking Echocardiography**

Kasner Mario, MD, PhD <sup>1\*</sup>; Aleksandrov Aleksandar, MD <sup>1,2\*</sup>; Escher Felicitas, MD <sup>2\*</sup>; Al-Saadi Nidal, MD <sup>3</sup>; Makowski Markus, MD, PhD <sup>4</sup>; Spillmann Frank, MD <sup>2</sup>; Genger Martin, MD <sup>2</sup>; Schultheiss Heinz-Peter, MD <sup>5</sup>; Kühl Uwe, PhD <sup>2</sup>; Pieske Burkert, MD <sup>2,7</sup>; Morris Daniel A., MD <sup>2#</sup>; Noutsias Michel, MD <sup>6#</sup>; and Tschöpe Carsten, MD <sup>2,7,8#</sup>

\*,# These authors contributed equally to this study.

1. Dept. of Cardiology and Pneumology, Charité - Universitätsmedizin Berlin, Campus Benjamin Franklin, Berlin, Germany.
2. Dept. of Cardiology, Charité - Universitätsmedizin Berlin, Campus Virchow Clinic, Berlin, Germany.
3. Private Institute for Cardiovascular Medicine, Berlin, Germany.
4. Dept. of Radiology, Charité - Universitätsmedizin Berlin, Campus Mitte, Berlin, Germany
5. Institute for Cardiac Diagnostics and Therapy (IKDT), Berlin, Germany.
6. Department of Internal Medicine I, Division of Cardiology, Pneumology, Angiology and Intensive Medical Care, University Hospital Jena, Friedrich-Schiller-University Jena, Jena, Germany.
7. German Centre for Cardiovascular Research (DZHK), Center: Berlin, Germany.
8. Berlin-Brandenburg Center for Regenerative Therapies (BCRT), Berlin, Germany.

Address for correspondence:

Carsten Tschöpe, MD; Department of Cardiology, Charité - University Medicine Berlin, Campus Virchow Clinic; Augustenburgerplatz 1, 13353 Berlin, Germany;

Tel: (\*\*49) 30-8445-4780; Fax: (\*\*49) 30-8445-4648; E-Mail: Carsten.Tschoepe@charite.de

Download English Version:

<https://daneshyari.com/en/article/5604284>

Download Persian Version:

<https://daneshyari.com/article/5604284>

[Daneshyari.com](https://daneshyari.com)