## Accepted Manuscript

Outcomes of percutaneous coronary intervention and coronary artery bypass grafting in patients with Takayasu arteritis

Yankun Yang, Tao Tian, Kunqi Yang, Ying Zhang, Xu Meng, Peng Fan, Lei Feng, Chaowei Mu, Linggen Gao, Xianliang Zhou


PII: S0167-5273(16)33414-3

DOI: doi:10.1016/j.ijcard.2017.02.041

Reference: IJCA 24567

To appear in: International Journal of Cardiology

Received date: 2 November 2016 Accepted date: 10 February 2017



Please cite this article as: Yang Yankun, Tian Tao, Yang Kunqi, Zhang Ying, Meng Xu, Fan Peng, Feng Lei, Mu Chaowei, Gao Linggen, Zhou Xianliang, Outcomes of percutaneous coronary intervention and coronary artery bypass grafting in patients with Takayasu arteritis, *International Journal of Cardiology* (2017), doi:10.1016/j.ijcard.2017.02.041

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

## ACCEPTED MANUSCRIPT

Outcomes of percutaneous coronary intervention and coronary

artery bypass grafting in patients with Takayasu arteritis

Yankun Yang<sup>a</sup>, Tao Tian<sup>a</sup>, Kunqi Yang<sup>a</sup>, Ying Zhang<sup>a</sup>, Xu Meng<sup>a</sup>, Peng Fan<sup>a</sup>, Lei Feng<sup>a</sup>,

Chaowei Mu<sup>a</sup>, Linggen Gao<sup>b</sup>, Xianliang Zhou<sup>a, \*</sup>

<sup>a</sup> Department of Cardiology, Fuwai Hospital, National Center for Cardiovascular

Diseases, Chinese Academy of Medical Sciences and Peking Union Medical College,

Beijing 100037, China

<sup>b</sup> Department of Geriatric Cardiology, General Hospital of Chinese People's

Liberation Army, Beijing 100853, China.

\* Corresponding author: Xianliang Zhou

E-mail addresses: zhouxianliang0326@hotmail.com; Tel: 86-010-88322612

Background: Coronary artery involvement is not a rare presentation of Takayasu

arteritis (TA) and the treatment is challenging. The optimal methods of

revascularization, and prognosis of treatment have not been established.

**Objectives:** To assess the long-term outcomes of percutaneous coronary intervention

(PCI) and coronary artery bypass grafting (CABG) in TA patients.

Methods: Patients with coronary artery involved in TA who underwent either PCI or

CABG were identified between February 2003 and December 2015. The primary

outcome was long-term all-cause mortality. Secondary outcomes were myocardial

infarction (MI), stroke, and repeat revascularization.

## Download English Version:

## https://daneshyari.com/en/article/5604492

Download Persian Version:

https://daneshyari.com/article/5604492

<u>Daneshyari.com</u>