

Accepted Manuscript

Combined baseline and one-month changes in Big Endothelin-1 and Brain Natriuretic Peptide plasma concentrations predict clinical outcomes in patients with left ventricular dysfunction after acute myocardial infarction: Insights from the Eplerenone Post-Acute Myocardial Infarction Heart Failure Efficacy and Survival Study (EPHESUS) study

A Olivier, N Girerd, JB Michel, JM Ketelslegers, R Fay, J Vincent, P Bramlage, B Pitt, F Zannad, P Rossignol


PII: S0167-5273(16)32115-5
DOI: doi:[10.1016/j.ijcard.2017.02.018](https://doi.org/10.1016/j.ijcard.2017.02.018)
Reference: IJCA 24540

To appear in: *International Journal of Cardiology*

Received date: 7 September 2016
Revised date: 14 January 2017
Accepted date: 3 February 2017

Please cite this article as: Olivier A, Girerd N, Michel JB, Ketelslegers JM, Fay R, Vincent J, Bramlage P, Pitt B, Zannad F, Rossignol P, Combined baseline and one-month changes in Big Endothelin-1 and Brain Natriuretic Peptide plasma concentrations predict clinical outcomes in patients with left ventricular dysfunction after acute myocardial infarction: Insights from the Eplerenone Post-Acute Myocardial Infarction Heart Failure Efficacy and Survival Study (EPHESUS) study, *International Journal of Cardiology* (2017), doi:[10.1016/j.ijcard.2017.02.018](https://doi.org/10.1016/j.ijcard.2017.02.018)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Combined baseline and one-month changes in Big Endothelin-1 and Brain Natriuretic Peptide plasma concentrations predict clinical outcomes in patients with left ventricular dysfunction after acute myocardial infarction: Insights from the Eplerenone Post-Acute Myocardial Infarction Heart Failure Efficacy and Survival Study (EPHESUS) study.

Short title: BNP, Big endothelin-1 and clinical outcomes in EPHESUS.

Authors: OLIVIER A, MD, MSc (1-2); GIRERD N, MD, PhD(1); MICHEL JB, MD, PhD (3); KETELSLEGGERS JM, MD, PhD (4); FAY R (1); VINCENT J, MD, PhD (5); BRAMLAGE P, MD (6); PITT B, MD, FACC (7); ZANNAD F, MD, PhD (1-2); ROSSIGNOL P, MD, PhD (1) for the EPHESUS Investigators.

Affiliations:

1- Inserm, CIC-P 14-33, U 116, CHU Nancy and University of Lorraine, and F-CRIN INI-CRCT, Nancy, France

2 - Department of cardiovascular disease, Institut Lorrain du Coeur et des Vaisseaux, Nancy University Hospital, Nancy, France

3- Inserm, UMRS 1148 University Paris Diderot, Paris, France

4 - Université Catholique de Louvain, Brussels, Belgium

5 - Pfizer Inc., New York, USA; email: john.vincent@pfizer.com

6 - Institute for Cardiovascular Pharmacology and Epidemiology, Mahlow, Germany.

7 - University of Michigan - School of Medicine, Ann Arbor, Michigan, USA

Download English Version:

<https://daneshyari.com/en/article/5604540>

Download Persian Version:

<https://daneshyari.com/article/5604540>

[Daneshyari.com](https://daneshyari.com)