

Accepted Manuscript

Comparison of outcomes after treatment of in-stent restenosis using newer generation drug-eluting stents versus drug-eluting balloon: Patient-level pooled analysis of Korean Multicenter in-Stent Restenosis Registry

Joo Myung Lee, Tae-Min Rhee, Joo-Yong Hahn, Doyeon Hwang, Jonghanne Park, Kyung Woo Park, Hack-Lyoung Kim, Sang-Hyun Kim, In-Ho Chae, Joon-Hyung Doh, Ki-Hyun Jeon, Young Jin Choi, Jin Sik Park, Seung-Hyuck Choi, Hyeon-Cheol Gwon, Bon-Kwon Koo, Fernando Alfonso, Hyo-Soo Kim

PII: S0167-5273(16)34827-6
DOI: doi:[10.1016/j.ijcard.2016.12.176](https://doi.org/10.1016/j.ijcard.2016.12.176)
Reference: IJCA 24355

To appear in: *International Journal of Cardiology*

Received date: 28 May 2016
Revised date: 25 November 2016
Accepted date: 25 December 2016



Please cite this article as: Lee Joo Myung, Rhee Tae-Min, Hahn Joo-Yong, Hwang Doyeon, Park Jonghanne, Park Kyung Woo, Kim Hack-Lyoung, Kim Sang-Hyun, Chae In-Ho, Doh Joon-Hyung, Jeon Ki-Hyun, Choi Young Jin, Park Jin Sik, Choi Seung-Hyuck, Gwon Hyeon-Cheol, Koo Bon-Kwon, Alfonso Fernando, Kim Hyo-Soo, Comparison of outcomes after treatment of in-stent restenosis using newer generation drug-eluting stents versus drug-eluting balloon: Patient-level pooled analysis of Korean Multicenter in-Stent Restenosis Registry, *International Journal of Cardiology* (2016), doi:[10.1016/j.ijcard.2016.12.176](https://doi.org/10.1016/j.ijcard.2016.12.176)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Comparison of Outcomes after Treatment of In-Stent Restenosis Using Newer Generation Drug-Eluting Stents versus Drug- Eluting Balloon: Patient-Level Pooled Analysis of Korean Multicenter In-Stent Restenosis Registry

Joo Myung Lee, MD, MPH^{a,1*}, Tae-Min Rhee, MD^{a,2*}, Joo-Yong Hahn, MD, PhD^{a,1}, Doyeon Hwang, MD^{a,2}, Jonghanne Park, MD, PhD^{a,2}, Kyung Woo Park, MD, PhD^{a,2}, Hack-Lyoung Kim, MD, PhD^{a,3}, Sang-Hyun Kim, MD, PhD^{a,3}, In-Ho Chae, MD, PhD^{a,4}, Joon-Hyung Doh, MD, PhD^{a,5}, Ki-Hyun Jeon, MD^{a,6}, Young Jin Choi, MD, PhD^{a,6}, Jin Sik Park, MD, PhD^{a,6}, Seung-Hyuck Choi, MD, PhD^{a,1}, Hyeon-Cheol Gwon, MD, PhD^{a,1}, Bon-Kwon Koo, MD, PhD^{a,2}, Fernando Alfonso, MD, PhD^{a,7}, and Hyo-Soo Kim, MD, PhD^{a,2}

¹Division of Cardiology, Department of Internal Medicine, Heart Vascular Stroke Institute, Samsung Medical Center, Seoul, Republic of Korea; ²Department of Internal Medicine and Cardiovascular Center, Seoul National University Hospital, Seoul, Republic of Korea; ³Cardiovascular Center, Seoul National University Boramae Medical Center, Seoul, Korea; ⁴Seoul National University Bundang Hospital, Seongnam, Korea; ⁵Department of Medicine, Inje University Ilsan Paik Hospital, Goyang, South Korea; ⁶Sejong General Hospital, Sejong Heart Institute, Bucheon, Korea; ⁷Hospital Universitario de La Princesa, Madrid, Spain.

Download English Version:

<https://daneshyari.com/en/article/5604776>

Download Persian Version:

<https://daneshyari.com/article/5604776>

[Daneshyari.com](https://daneshyari.com)