Accepted Manuscript

Difference in Vascular Response between Sirolimus-eluting- and Everolimus-eluting Stents in Ostial Left Circumflex Artery after Unprotected Left Main as Observed by Optical Coherence Tomography

Yusuke Fujino, Guilherme F. Attizzani, Satoko Tahara, Toru Naganuma, Kensuke Takagi, Hiroto Yabushita, Wei Wang, Kentaro Tanaka, Takahiro Matsumoto, Hiroyoshi Kawamoto, Yuya Yamada, Shinnosuke Amano, Yusuke Watanabe, Takayuki Warisawa, Tomohiko Sato, Satoru Mitomo, Naoyuki Kurita, Hisaaki Ishiguro, Koji Hozawa, Takahiro Tsukahara, Masahiro Motosuke, Hiram G. Bezerra, Shotaro Nakamura, Sunao Nakamura

PII: S0167-5273(16)34613-7

DOI: doi:10.1016/j.ijcard.2016.12.122


Reference: IJCA 24300

To appear in: International Journal of Cardiology

Received date: 15 August 2016 Revised date: 1 December 2016 Accepted date: 17 December 2016

Please cite this article as: Fujino Yusuke, Attizzani Guilherme F., Tahara Satoko, Naganuma Toru, Takagi Kensuke, Yabushita Hiroto, Wang Wei, Tanaka Kentaro, Matsumoto Takahiro, Kawamoto Hiroyoshi, Yamada Yuya, Amano Shinnosuke, Watanabe Yusuke, Warisawa Takayuki, Sato Tomohiko, Mitomo Satoru, Kurita Naoyuki, Ishiguro Hisaaki, Hozawa Koji, Tsukahara Takahiro, Motosuke Masahiro, Bezerra Hiram G., Nakamura Shotaro, Nakamura Sunao, Difference in Vascular Response between Sirolimus-eluting- and Everolimus-eluting Stents in Ostial Left Circumflex Artery after Unprotected Left Main as Observed by Optical Coherence Tomography, *International Journal of Cardiology* (2016), doi:10.1016/j.ijcard.2016.12.122

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



EPTED MAN

Difference Vascular Response in between

Sirolimus-eluting and Everolimus-eluting Stents in

Ostial Left Circumflex Artery after Unprotected Left

Main as Observed by Optical Coherence Tomography

Yusuke Fujino, MD, PhD, FACC¹, Guilherme F. Attizzani, MD², Satoko Tahara, MD,

PhD, FACC¹, Toru Naganuma, MD¹, FACC¹, Kensuke Takagi, MD¹, Hiroto Yabushita,

MD¹, Wei Wang, PhD³, Kentaro Tanaka, MD¹, Takahiro Matsumoto, MD¹, Hiroyoshi

Kawamoto, MD¹, Yuya Yamada⁴, Shinnosuke Amano⁴, Yusuke Watanabe, MD¹,

Takayuki Warisawa, MD¹, Tomohiko Sato MD, PhD¹, Satoru Mitomo¹, MD, Naoyuki

Kurita, MD¹, Hisaaki Ishiguro, MD, PhD¹, Koji Hozawa, MD¹, Takahiro Tsukahara⁴,

Masahiro Motosuke⁴, Hiram G. Bezerra, MD, PhD², Shotaro Nakamura, MD¹, Sunao

Nakamura, MD, PhD, FACC¹.

Total word count: 6195

Brief title: OCT in unprotected LM bifurcation

Download English Version:

https://daneshyari.com/en/article/5604787

Download Persian Version:

https://daneshyari.com/article/5604787

<u>Daneshyari.com</u>