

Accepted Manuscript


Effect of statins on atherogenic serum amyloid A and α 1-antitrypsin low-density lipoprotein complexes

Yusuke Miyazaki, Yasufumi Katanasaka, Yoichi Sunagawa, Sae Hirano-Sunagawa, Masafumi Funamoto, Eriko Morimoto, Maki Komiyama, Akira Shimatsu, Noriko Satoh-Asahara, Hajime Yamakage, Hiromichi Wada, Koji Hasegawa, Tatsuya Morimoto

PII: S0167-5273(16)32636-5
DOI: doi: [10.1016/j.ijcard.2016.09.116](https://doi.org/10.1016/j.ijcard.2016.09.116)
Reference: IJCA 23723

To appear in: *International Journal of Cardiology*

Received date: 25 May 2016
Revised date: 24 September 2016
Accepted date: 29 September 2016



Please cite this article as: Miyazaki Yusuke, Katanasaka Yasufumi, Sunagawa Yoichi, Hirano-Sunagawa Sae, Funamoto Masafumi, Morimoto Eriko, Komiyama Maki, Shimatsu Akira, Satoh-Asahara Noriko, Yamakage Hajime, Wada Hiromichi, Hasegawa Koji, Morimoto Tatsuya, Effect of statins on atherogenic serum amyloid A and α 1-antitrypsin low-density lipoprotein complexes, *International Journal of Cardiology* (2016), doi: [10.1016/j.ijcard.2016.09.116](https://doi.org/10.1016/j.ijcard.2016.09.116)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Effect of Statins on Atherogenic Serum Amyloid A and α 1-Antitrypsin Low-Density Lipoprotein Complexes

Yusuke Miyazaki^{1,3}, Yasufumi Katanasaka^{1,2,3}, Yoichi Sunagawa^{1,2,3}, Sae Hirano-Sunagawa^{1,4}, Masafumi Funamoto^{1,3}, Eriko Morimoto², Maki Komiyama³, Akira Shimatsu³, Noriko Satoh-Asahara³, Hajime Yamakage³, Hiromichi Wada³, Koji Hasegawa³ and Tatsuya Morimoto^{1,2,3,*}

¹*Division of Molecular Medicine, Graduate School of Pharmaceutical Sciences, University of Shizuoka, Shizuoka, Japan*

²*Shizuoka General Hospital, Shizuoka, Japan*

³*Clinical Research Institute, National Hospital Organization Kyoto Medical Center, Kyoto, Japan*

⁴*Shizuoka Saiseikai General Hospital, Shizuoka, Japan*

Research Highlights: Statins decreases inflammatory marker levels.

*Address correspondence to:

Tatsuya Morimoto, MD, PhD

Division of Molecular Medicine, School of Pharmaceutical Sciences,
University of Shizuoka,

52-1 Yada, Suruga-ku, Shizuoka 422-8526, Japan

TEL: 81-54-264-5763

FAX: 81-54-264-5764

E-mail: morimoto@u-shizuoka-ken.ac.jp

Download English Version:

<https://daneshyari.com/en/article/5605366>

Download Persian Version:

<https://daneshyari.com/article/5605366>

[Daneshyari.com](https://daneshyari.com)