

Index to Subjects*

A

Academic medical centers

Development of an educational strategy and decision support tool to enhance appropriate use of stress echocardiography at a large academic medical center: a prospective, pre- and postintervention analysis (Levitt et al). 2015;28:1401-9

Accreditation

Predictors of delayed accreditation of echocardiography laboratories: an analysis of the Intersocietal Accreditation Commission database (Nagueh et al). 2015;28:1062-9

Accuracy of results; *see* Reproducibility of results

Acutely unwell patients; *see* Critical illness

Adipose tissue

Clinical utility of measuring epicardial adipose tissue thickness with echocardiography using a high-frequency linear probe in patients with coronary artery disease (Hirata et al). 2015;28:1240-6

Contrast-enhanced ultrasound: a novel noninvasive, nonionizing method for the detection of brown adipose tissue in humans (Flynn et al). 2015;28:1247-54

Adolescence

Altered left ventricular twist is associated with clinical severity in adults and adolescents with homozygous sickle cell anemia (Braga et al). 2015;28:692-9

Age factors

Cardiovascular health in young adulthood and association with left ventricular structure and function later in life: The Coronary Artery Risk Development in Young Adults Study (Desai et al). 2015;28:1452-61

Changes in right ventricular function with exercise in healthy subjects: optimal parameters and effects of gender and age (Chia et al). 2015;28:1441-51

Aged

Arterial wave reflection and aortic valve calcification in an elderly community-based cohort (Sera et al). 2015;28:430-6

Aldosterone

Usefulness of speckle-tracking imaging for right ventricular assessment after acute myocardial infarction: a magnetic resonance imaging/echocardiographic comparison within the relation between aldosterone and cardiac remodeling after myocardial infarction study (Lemarié et al). 2015;28:818-27

Algorithms

The reproducibility and absolute values of echocardiographic measurements of left ventricular size and function in children are algorithm dependent (Margossian et al). 2015;28:549-58

American Society of Echocardiography

The clinical application of strain: raising the standard (Marwick). 2015;28:1182-3 (Editorial comment)

COCATS 4 Task Force 5: Training in echocardiography: endorsed by the American Society of Echocardiography (Ryan et al). 2015;28:615-27 (ACC training statement)

Definitions for a common standard for 2D speckle tracking echocardiography: consensus document of the EACVI/ASE/Industry Task Force to standardize deformation imaging (Voigt et al). 2015;28:183-93 (Special article)

Echocardiography in the management of patients with left ventricular assist devices: recommendations from the American Society of Echocardiography (Stainback et al). 2015;28:853-909 (Guidelines and standards)

Guidelines for the echocardiographic assessment of atrial septal defect and patent foramen ovale: from the American Society of Echocardiography

and Society for Cardiac Angiography and Interventions (Silvestry et al). 2015;28:910-58 (Guidelines and standards)

Guidelines for the use of echocardiography as a monitor for therapeutic intervention in adults: a report from the American Society of Echocardiography (Porter et al). 2015;28:40-56 (Guidelines and standards)

Head-to-head comparison of global longitudinal strain measurements among nine different vendors: the EACVI/ASE Inter-vendor Comparison Study (Farsalinos et al). 2015;28:1171-81

Jill (or Jack) of all trades, master of none? (Wiegers). 2015;28:628-9 (Editorial comment)

Multimodality imaging of diseases of the thoracic aorta in adults: from the American Society of Echocardiography and the European Association of Cardiovascular Imaging: endorsed by the Society of Cardiovascular Computed Tomography and Society for Cardiovascular Magnetic Resonance (Goldstein et al). 2015;28:119-82 (Guidelines and standards)

Recommendations for cardiac chamber quantification by echocardiography in adults: an update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging (Lang et al). 2015;28:1-39 (Guidelines and standards)

Recommendations on the use of echocardiography in adult hypertension: a report from the European Association of Cardiovascular Imaging (EACVI) and the American Society of Echocardiography (ASE) (Marwick et al). 2015;28:727-54 (Guidelines and standards)

A summary of the American Society of Echocardiography Foundation Value-Based Healthcare: Summit 2014: The Role of Cardiovascular Ultrasound in the New Paradigm (Byrd et al). 2015;28:755-69 (Special report)

Task Force 2: Pediatric cardiology fellowship training in noninvasive cardiac imaging: endorsed by the American Society of Echocardiography and the Society of Pediatric Echocardiography (Srivastava et al). 2015;28:1009-19 (Training statement)

Anemia, sickle cell

Abnormal regulation of microvascular tone in a murine model of sickle cell disease assessed by contrast ultrasound (Wu et al). 2015;28:1122-8

Altered left ventricular twist is associated with clinical severity in adults and adolescents with homozygous sickle cell anemia (Braga et al). 2015;28:692-9

Left ventricular rotational mechanics in Tanzanian children with sickle cell disease (Di Maria et al). 2015;28:340-6

Aneurysm, heart; *see* Heart aneurysm

Angiography

Guidelines for the echocardiographic assessment of atrial septal defect and patent foramen ovale: from the American Society of Echocardiography and Society for Cardiac Angiography and Interventions (Silvestry et al). 2015;28:910-58 (Guidelines and standards)

Angioplasty

Usefulness of two-dimensional longitudinal strain pattern to predict left ventricular recovery and in-hospital complications after acute anterior myocardial infarction treated successfully by primary angioplasty (Meimoun et al). 2015;28:1366-75

Animal studies

Abnormal regulation of microvascular tone in a murine model of sickle cell disease assessed by contrast ultrasound (Wu et al). 2015;28:1122-8

Pressure overload creates right ventricular diastolic dysfunction in a mouse model: assessment by echocardiography (Egemenazarov et al). 2015;28:828-43

Antibiotics, anthracycline

Caring for the cardio-oncology patient: straining to foresee the future (Adetia and DeCara). 2015;28:515-6 (Editorial comment)

Time trends of left ventricular ejection fraction and myocardial deformation indices in a cohort of women with breast cancer treated with anthracyclines, taxanes, and trastuzumab (Tan et al). 2015;28:509-14

Aorta, thoracic

Multimodality imaging of diseases of the thoracic aorta in adults: from the American Society of Echocardiography and the European Association of Cardiovascular Imaging: endorsed by the Society of Cardiovascular Computed Tomography and Society for Cardiovascular Magnetic Resonance (Goldstein et al). 2015;28:119-82 (Guidelines and standards)

Indexes to the Twenty-sixth Annual Scientific Sessions abstracts are located in the June issue.

*January, pp 1-118; February, pp 119-254; March, pp 255-378; April, pp 379-496; May, pp 497-614; June, pp 615-726; July, pp 727-852; August, pp 853-1008; September, pp 1009-1130; October, pp 1131-1258; November, pp 1259-1378; December, pp 1379-1512.

Aortic valve

- Arterial wave reflection and aortic valve calcification in an elderly community-based cohort (Sera et al). 2015;28:430-6
- Hemodynamic outcomes of transcatheter aortic valve replacement and medical management in severe, inoperable aortic stenosis: a longitudinal echocardiographic study of cohort B of the PARTNER trial (Douglas et al). 2015;28:210-7
- Improving the accuracy of effective orifice area assessment after transcatheter aortic valve replacement: validation of left ventricular outflow tract diameter and pulsed-wave Doppler location and impact of three-dimensional measurements (Khalique et al). 2015;28:1283-93

Aortic valve insufficiency

- Assessment of paravalvular aortic regurgitation after transcatheter aortic valve replacement: intra-core laboratory variability (Hahn et al). 2015;28:415-22
- Impact of device landing zone calcification on paravalvular regurgitation after transcatheter aortic valve replacement: a real-time three-dimensional transesophageal echocardiographic study (Mihara et al). 2015;28:404-14
- Mitral valve geometry changes in patients with aortic regurgitation (Regeer et al). 2015;28:455-62
- Simplified rheumatic heart disease screening criteria for handheld echocardiography (Lu et al). 2015;28:463-9
- Valvular regurgitation using portable echocardiography in a healthy student population: implications for rheumatic heart disease screening (Webb et al). 2015;28:981-8

Aortic valve replacement; see Heart valve prosthesis

Aortic valve stenosis

- Assessment of paravalvular aortic regurgitation after transcatheter aortic valve replacement: intra-core laboratory variability (Hahn et al). 2015;28:415-22
- Correction of Doppler gradients for pressure recovery improves agreement with subsequent catheterization gradients in congenital aortic stenosis (Schlingmann et al). 2015;28:1410-7
- Differences in natural history of low- and high-gradient aortic stenosis from nonsevere to severe stage of the disease (Herrmann et al). 2015;28:1270-82
- Differential left ventricular outflow tract remodeling and dynamics in aortic stenosis (Mehrotra et al). 2015;28:1259-66
- Discrepancies in left ventricular mass calculation based on echocardiography and cardiovascular magnetic resonance measurements in patients with left ventricular hypertrophy (Seo et al). 2015;28:1194-203
- Doppler imaging in aortic stenosis: the importance of the nonapical imaging windows to determine severity in a contemporary cohort (Thaden et al). 2015;28:780-5
- Hemodynamic outcomes of transcatheter aortic valve replacement and medical management in severe, inoperable aortic stenosis: a longitudinal echocardiographic study of cohort B of the PARTNER trial (Douglas et al). 2015;28:210-7
- Impact of device landing zone calcification on paravalvular regurgitation after transcatheter aortic valve replacement: a real-time three-dimensional transesophageal echocardiographic study (Mihara et al). 2015;28:404-14
- Increased apical rotation in severe aortic stenosis is associated with reduced survival: a speckle-tracking study (Holmes et al). 2015;28:1294-301
- Left ventricular outflow tract geometry and dynamics in aortic stenosis: implications for the echocardiographic assessment of aortic valve area (Pi-barot and Clavel). 2015;28:1267-9 (Editorial comment)
- Pressure recovery in congenital aortic stenosis (Kobayashi and Humes). 2015;28:1418-9 (Editorial comment)
- Symptoms in severe aortic stenosis are associated with decreased compensatory circumferential myocardial mechanics (Carasso et al). 2015;28:218-25
- Tissue velocities and myocardial deformation in asymptomatic and symptomatic aortic stenosis (Carstensen et al). 2015;28:969-80
- Usefulness of echocardiographic criteria for transcatheter aortic valve implantation without balloon predilation: a single-center experience (Islas et al). 2015;28:423-9
- Valvular regurgitation using portable echocardiography in a healthy student population: implications for rheumatic heart disease screening (Webb et al). 2015;28:981-8

Arrhythmia

- Left ventricular involvement in arrhythmogenic right ventricular dysplasia/cardiomyopathy assessed by echocardiography predicts adverse clinical outcome (Mast et al). 2015;28:1103-13

Mechanical dyssynchrony by tissue Doppler cross-correlation is associated with risk for complex ventricular arrhythmias after cardiac resynchronization therapy (Tayal et al). 2015;28:1474-81

The relationship between time from myocardial infarction, left ventricular dyssynchrony, and the risk for ventricular arrhythmia: speckle-tracking echocardiographic analysis (Leong et al). 2015;28:470-7

Right ventricular remodeling, its correlates, and its clinical impact in hypertrophic cardiomyopathy (Roşca et al). 2015;28:1329-38

Arteries

- Clinical implications of pulmonary shunting on saline contrast echocardiography (Velthuis et al). 2015;28:255-63 (State-of-the-art review article)
- Echocardiographic measurements in normal Chinese adults focusing on cardiac chambers and great arteries: a prospective, nationwide, and multi-center study (Yao et al). 2015;28:570-9

ASE communications

ASE communications. 2015;28:40-56, 853-958

Atherosclerosis

- Arterial wave reflection and aortic valve calcification in an elderly community-based cohort (Sera et al). 2015;28:430-6
- Associations of coronary heart disease with common carotid artery near and far wall intima-media thickness: the Multi-Ethnic Study of Atherosclerosis (Polak et al). 2015;28:1114-21
- Carotid artery intima-media thickness measurements in the youth: reproducibility and technical considerations (Tierney et al). 2015;28:309-16

Athletes

- Patterns of left ventricular diastolic function in Olympic athletes (Caselli et al). 2015;28:236-44
- Patterns of left ventricular longitudinal strain and strain rate in Olympic athletes (Caselli et al). 2015;28:245-53

Atrial fibrillation

- Atrial fibrillation may affect the success of mitral balloon valvuloplasty (Günaydin et al) (Letter); (Sengupta et al) (Reply). 2015;28:375-6
- Echocardiographic predictors of progression to persistent or permanent atrial fibrillation in patients with paroxysmal atrial fibrillation (E6P study) (Yoon et al). 2015;28:709-17

Atrial function, right

- Impact of body size on inferior vena cava parameters for estimating right atrial pressure: a need for standardization? (Taniguchi et al). 2015;28:1420-7

Atrial septal defects; see Heart septal defects, atrial

Atrioventricular groove; see Heart atrium; Heart ventricle

Automation

- Longitudinal strain by automated function imaging detects single-vessel coronary artery disease in patients undergoing dipyridamole stress echocardiography (Cusmà-Piccione et al). 2015;28:1214-21

B

Balloon dilatation

- Atrial fibrillation may affect the success of mitral balloon valvuloplasty (Günaydin et al) (Letter); (Sengupta et al) (Reply). 2015;28:375-6
- Usefulness of echocardiographic criteria for transcatheter aortic valve implantation without balloon predilation: a single-center experience (Islas et al). 2015;28:423-9

Bioprosthesis

- Early bioprosthetic valve failure: mechanistic insights via correlation between echocardiographic and operative findings (Cremer et al). 2015;28:1131-48 (State-of-the-art review article)

Biopsy

- Myocardial strain and strain rate from speckle-tracking echocardiography are unable to differentiate asymptomatic biopsy-proven cellular rejection in the first year after cardiac transplantation (Ambardekar et al). 2015;28:478-85

Biventricular function; see Ventricular function, left; Ventricular function, right

Blood flow velocity

- Doppler systolic signal void in hypertrophic cardiomyopathy: apical aneurysm and severe obstruction without elevated intraventricular velocities (Po et al). 2015;28:1462-73
- Maturation changes in diastolic longitudinal myocardial velocity in pre-term infants (Di Maria et al). 2015;28:1045-52
- Tissue velocities and myocardial deformation in asymptomatic and symptomatic aortic stenosis (Carstensen et al). 2015;28:969-80

Download English Version:

<https://daneshyari.com/en/article/5612292>

Download Persian Version:

<https://daneshyari.com/article/5612292>

[Daneshyari.com](https://daneshyari.com)