

Accepted Manuscript

Volume and dimensions of angiographically normal coronary arteries assessed by multidetector computed tomography

Samuel Kiil Sørensen, MD, Jørgen Tobias Kühl, MD, PhD, Andreas Fuchs, MD, Jakob Boesgaard Norsk, MS, Lars Valeur Køber, MD, DMSc, Børge Grønne Nordestgaard, MD, DMSc, Klaus Fuglsang Kofoed, MD, DMSc

PII: S1934-5925(17)30086-2

DOI: [10.1016/j.jcct.2017.04.001](https://doi.org/10.1016/j.jcct.2017.04.001)

Reference: JCCT 977

To appear in: *Journal of Cardiovascular Computed Tomography*


Received Date: 2 January 2017

Revised Date: 18 March 2017

Accepted Date: 2 April 2017

Please cite this article as: Sørensen SK, Kühl JøTobias, Fuchs A, Norsk JB, Køber LV, Nordestgaard BøGrø, Kofoed KF, Volume and dimensions of angiographically normal coronary arteries assessed by multidetector computed tomography, *Journal of Cardiovascular Computed Tomography* (2017), doi: 10.1016/j.jcct.2017.04.001.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Volume and Dimensions of Angiographically Normal Coronary Arteries Assessed by
Multidetector Computed Tomography

Samuel Kiil Sørensen, MD^{1,2}, Jørgen Tobias Kühl, MD, PhD^{1,2}, Andreas Fuchs, MD^{1,2}, Jakob Boesgaard Norsk, MS^{1,2}, Lars Valeur Køber, MD, DMSc^{1,2}, Børge Grønne Nordestgaard, MD, DMSc^{1,3}, Klaus Fuglsang Kofoed, MD, DMSc^{1,2,4}

¹University of Copenhagen, Blegdamsvej 3, DK-2200 Copenhagen, Denmark

²Department of Cardiology, Rigshospitalet, Blegdamsvej 9, DK-2100 Copenhagen, Denmark

³Department of Clinical Biochemistry, Herlev Hospital, Herlev Ringvej 75, DK-2730 Herlev, Denmark

⁴Department of Radiology, Rigshospitalet, Blegdamsvej 9, DK-2100 Copenhagen, Denmark

Corresponding author

Samuel Kiil Sørensen, MD

Gentofte Hospital, Department of Cardiology

Kildegårdsvej 28, DK-2900 Hellerup, Denmark

Telephone: 0045 5360 2910

E-mail: samuelsorensen@dadlnet.dk

Acknowledgements

This work was supported by The John and Birthe Meyer Foundation and AP Møller og hustru Chastine McKinney Møllers Fond. The authors wish to thank the Department of Radiology at Rigshospitalet and its staff working at the scanner for their enthusiastic technical and logistical support.

Conflict of Interest

We declare that we have no conflict of interest.

Download English Version:

<https://daneshyari.com/en/article/5614988>

Download Persian Version:

<https://daneshyari.com/article/5614988>

[Daneshyari.com](https://daneshyari.com)