## Accepted Manuscript

Regular activity breaks combined with physical activity improves postprandial plasma triglyceride, non-esterified fatty acid and insulin responses in healthy, normal weight adults: a randomized crossover trial

Ashleigh R. Homer, MSc, Stephen P. Fenemor, MPhEd, Tracy L. Perry, PhD, Nancy J. Rehrer, PhD, Claire M. Cameron, PhD, C Murray Skeaff, PhD, Meredith C. Peddie, PhD

PII: S1933-2874(17)30351-3

DOI: 10.1016/j.jacl.2017.06.007

Reference: JACL 1137

To appear in: Journal of Clinical Lipidology


Received Date: 8 March 2017

Revised Date: 7 June 2017

Accepted Date: 7 June 2017

Please cite this article as: Homer AR, Fenemor SP, Perry TL, Rehrer NJ, Cameron CM, Skeaff CM, Peddie MC, Regular activity breaks combined with physical activity improves postprandial plasma triglyceride, non-esterified fatty acid and insulin responses in healthy, normal weight adults: a randomized crossover trial, *Journal of Clinical Lipidology* (2017), doi: 10.1016/j.jacl.2017.06.007.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



			A
		$\sim$	$\bigcirc$
			2
	<b>^</b>	<u> </u>	
	Day One Activity Only	Day Two Triglycerides NEFA Insulin	
		Postprandial response to a single meal	
	******	9 +	
	य 🍍 य 🍍 य 🍍 य		
	क 🌹 क 🌹 क स्रेंग् स्रेंग	<u>ب ب ب ب ب ب ب ا م ا م ا م ا م ا م ا م ا </u>	
Ϋ́			
V			

Download English Version:

## https://daneshyari.com/en/article/5615108

Download Persian Version:

https://daneshyari.com/article/5615108

Daneshyari.com