


Accepted Manuscript

Moderate Statin Treatment Reduces Prebeta-1 HDL Levels in Dyslipidemic Patients

Alex G. Quinn, BS, Rachel Schwemberger, BS, Eveline Oestreicher Stock, MD, Irina Movsesyan, BS, Andrea Axtell, MD, Sunny Chang, MD, Brian Y. Ishida, PhD, Mary J. Malloy, MD, John P. Kane, MD, PhD, Clive R. Pullinger, PhD



PII: S1933-2874(17)30256-8

DOI: [10.1016/j.jacl.2017.04.118](https://doi.org/10.1016/j.jacl.2017.04.118)

Reference: JACL 1109

To appear in: *Journal of Clinical Lipidology*

Received Date: 28 September 2016

Revised Date: 21 April 2017

Accepted Date: 25 April 2017

Please cite this article as: Quinn AG, Schwemberger R, Oestreicher Stock E, Movsesyan I, Axtell A, Chang S, Ishida BY, Malloy MJ, Kane JP, Pullinger CR, Moderate Statin Treatment Reduces Prebeta-1 HDL Levels in Dyslipidemic Patients, *Journal of Clinical Lipidology* (2017), doi: 10.1016/j.jacl.2017.04.118.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.




Figure 1

Download English Version:

<https://daneshyari.com/en/article/5615230>

Download Persian Version:

<https://daneshyari.com/article/5615230>

[Daneshyari.com](https://daneshyari.com)