

Accepted Manuscript

Feasibility of Intraoperative Water Testing in Aortic Valve Repair: Direct Visualization from Left Ventricle Using Video Scope

Shunsuke Miyahara, MD, PhD, Takanori Oka, MD, Hiroaki Takahashi, MD, PhD, Takeshi Inoue, MD, Masamichi Matsumori, MD, PhD, Hiroshi Tanaka, MD, PhD, Yutaka Okita, MD, PhD

PII: S0022-5223(17)30193-9

DOI: [10.1016/j.jtcvs.2016.12.061](https://doi.org/10.1016/j.jtcvs.2016.12.061)

Reference: YMTC 11230

To appear in: *The Journal of Thoracic and Cardiovascular Surgery*


Received Date: 17 October 2016

Revised Date: 20 November 2016

Accepted Date: 28 December 2016

Please cite this article as: Miyahara S, Oka T, Takahashi H, Inoue T, Matsumori M, Tanaka H, Okita Y, Feasibility of Intraoperative Water Testing in Aortic Valve Repair: Direct Visualization from Left Ventricle Using Video Scope, *The Journal of Thoracic and Cardiovascular Surgery* (2017), doi: 10.1016/j.jtcvs.2016.12.061.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Feasibility of Intraoperative Water Testing in Aortic Valve Repair: Direct Visualization from Left Ventricle Using Video Scope

Running head: Intra-operative Assessment with video scope during Aortic Valve Repair

Shunsuke Miyahara^a, MD, PhD, Takanori Oka^b, MD, Hiroaki Takahashi^a, MD, PhD, Takeshi Inoue^a, MD, Masamichi Matsumori^a, MD, PhD, Hiroshi Tanaka^a, MD, PhD and Yutaka Okita^a, MD, PhD

Department of Surgery, Division of Cardiovascular Surgery,^a Kobe University Graduate School of Medicine, Kobe, Japan; Division of Cardiovascular Surgery,^b Takatsuki General Hospital, Takatsuki, Japan.

Conflict of Interest: None

Research Support: None

Meeting presentation: None

Key words: aortic root replacement, aortic cusp repair, intra-operative assessment, echocardiography, aortic regurgitation

Word count: 2285

Corresponding author: Yutaka Okita

Download English Version:

<https://daneshyari.com/en/article/5616495>

Download Persian Version:

<https://daneshyari.com/article/5616495>

[Daneshyari.com](https://daneshyari.com)