


# Accepted Manuscript

Effect of Transcatheter Aortic Valve Size and Position on Valve-in-Valve Hemodynamics: An In-Vitro Study

Ali N. Azadani, PhD, Michael Reardon, MD, Matheus Simonato, Gabriel Aldea, MD, Georg Nickenig, MD, Ran Kornowski, MD, Danny Dvir, MD



PII: S0022-5223(17)30189-7

DOI: [10.1016/j.jtcvs.2016.12.057](https://doi.org/10.1016/j.jtcvs.2016.12.057)

Reference: YMTC 11226

To appear in: *The Journal of Thoracic and Cardiovascular Surgery*

Received Date: 6 June 2016

Revised Date: 3 November 2016

Accepted Date: 12 December 2016

Please cite this article as: Azadani AN, Reardon M, Simonato M, Aldea G, Nickenig G, Kornowski R, Dvir D, Effect of Transcatheter Aortic Valve Size and Position on Valve-in-Valve Hemodynamics: An In-Vitro Study, *The Journal of Thoracic and Cardiovascular Surgery* (2017), doi: 10.1016/j.jtcvs.2016.12.057.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

# Effect of Transcatheter Aortic Valve Size and Position on Valve-in-Valve Hemodynamics: An In-Vitro Study

Ali N. Azadani, PhD<sup>1</sup>, Michael Reardon, MD<sup>2</sup>, Matheus Simonato<sup>3</sup>, Gabriel Aldea, MD<sup>4</sup>, Georg Nickenig, MD<sup>5</sup>, Ran Kornowski, MD<sup>6</sup>, and Danny Dvir, MD<sup>7</sup>

1. Department of Mechanical and Materials Engineering, University of Denver, Denver, CO, USA; 2. Houston Methodist DeBakey Heart and Vascular Center, The Houston Methodist Hospital, Houston, TX, USA; 3. Division of Cardiovascular Surgery, Escola Paulista de Medicina, Universidade Federal de Sao Paulo, Sao Paulo, Brazil; 4. Division of Cardiothoracic Surgery, University of Washington, Seattle, Washington, USA; 5. Medizinische Klinik und Poliklinik II, Universitätsklinikum Bonn, Bonn, Germany. 6. Rabin Medical Center, Beilinson Campus, Petah Tikva, Israel. 7. Division of Cardiology, University of Washington, Seattle, Washington, USA.

**Article type:** Original Manuscript

**Funding Source:** The authors had no financial support for this study except for being supplied equipment by Medtronic Inc. Medtronic Inc. had no role in the design of the study, in the analysis and interpretation of data, or in the preparation of the manuscript.

## Conflicts of Interest

Danny Dvir reports consulting for Medtronic. Michael Reardon is part of the advisory board of Medtronic. No other conflicts are reported.

## Corresponding Author:

Danny Dvir, MD

University of Washington, Seattle, Washington.

1959 NE Pacific Street, C502-A. Box 356422 Seattle, WA 98195-6422

Phone: 206-543-5898; Fax: 206-616-4847

Email: ddvir@uw.edu; danny.dvir@gmail.com

Download English Version:

<https://daneshyari.com/en/article/5616866>

Download Persian Version:

<https://daneshyari.com/article/5616866>

[Daneshyari.com](https://daneshyari.com)