Accepted Manuscript

Dietary sugar is critical for high fat diet-induction of hypothalamic inflammation via advanced glycation end-products

Yuanqing Gao, Maximilian Bielohuby, Thomas Fleming, Gernot F. Grabner, Ewout Foppen, Wagner Bernhard, Mara Guzmán-Ruiz, Clarita Layritz, Beata Legutko, Erwin Zinser, Cristina García-Cáceres, Ruud M. Buijs, Stephen C. Woods, Andries Kalsbeek, Randy J. Seeley, Peter P. Nawroth, Martin Bidlingmaier, Matthias H. Tschöp, Chun-Xia Yi

PII: S2212-8778(17)30239-9

DOI: 10.1016/j.molmet.2017.06.008

Reference: MOLMET 498

To appear in: *Molecular Metabolism*

Received Date: 1 April 2017

Revised Date: 8 June 2017

Accepted Date: 14 June 2017

Please cite this article as: Gao Y, Bielohuby M, Fleming T, Grabner GF, Foppen E, Bernhard W, Guzmán-Ruiz M, Layritz C, Legutko B, Zinser E, García-Cáceres C, Buijs RM, Woods SC, Kalsbeek A, Seeley RJ, Nawroth PP, Bidlingmaier M, Tschöp MH, Yi C-X, Dietary sugar is critical for high fat diet-induction of hypothalamic inflammation via advanced glycation end-products, *Molecular Metabolism* (2017), doi: 10.1016/j.molmet.2017.06.008.

Graphic abstract