

Associations Between Common Carotid Artery Diameter, Framingham Risk Score and Cardiovascular Events

Kozakova M^{ab}, Morizzo C^a, La Carrubba S^c, Fabiani I^d, Della Latta D^e, Jamagidze J^e, Chiappino D^d, Di Bello V^e, Palombo C^e

^aDepartment of Clinical and Experimental Medicine, University of Pisa, Pisa, Italy

^bEsaote SpA, Genova, Italy

^cVilla Sofia Hospital, Palermo, Italy

^dDepartment of Surgical, Medical Molecular Pathology and Critical Care Medicine, University of Pisa, Pisa, Italy

^eImaging Department, Fondazione Toscana G. Monasterio, Massa-Pisa, Italy

Correspondence to: Carlo Palombo, MD, FESC

Department of Surgical, Medical and Molecular Pathology and Critical Care Medicine, University of Pisa, Via Savi 10, 56126 PISA, IT

E-mail: carlo.palombo@unipi.it; Phone: +39 050 997736; Fax: +39 050 997613

Word Count:	2.598
Abstract:	250
Number of references:	30
Tables:	3
Figure	1

This research did not receive any specific grant from funding agencies in the public, commercial, or not-for-profit sectors.

Download English Version:

<https://daneshyari.com/en/article/5618900>

Download Persian Version:

<https://daneshyari.com/article/5618900>

[Daneshyari.com](https://daneshyari.com)