Accepted Manuscript

Intrathecal Baclofen Bolus Reduces Exaggerated Extensor Coactivation during Pre-Swing and Early-Swing of Gait after Acquired Brain Injury

John W. Chow, Stuart A. Yablon, Dobrivoje S. Stokic


PII: S1388-2457(17)30072-X

DOI: http://dx.doi.org/10.1016/j.clinph.2017.02.017

Reference: CLINPH 2008074

To appear in: Clinical Neurophysiology

Received Date: 10 October 2016 Revised Date: 30 January 2017 Accepted Date: 22 February 2017



Please cite this article as: Chow, J.W., Yablon, S.A., Stokic, D.S., Intrathecal Baclofen Bolus Reduces Exaggerated Extensor Coactivation during Pre-Swing and Early-Swing of Gait after Acquired Brain Injury, *Clinical Neurophysiology* (2017), doi: http://dx.doi.org/10.1016/j.clinph.2017.02.017

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

Intrathecal Baclofen Bolus Reduces Exaggerated Extensor Coactivation during Pre-Swing and Early-Swing of Gait after Acquired Brain Injury

John W. Chow

Stuart A. Yablon

Dobrivoje S. Stokic

Center for Neuroscience and Neurological Recovery, Methodist Rehabilitation Center, Jackson, MS, USA

Corresponding author:

John W. Chow, Ph.D.
Center for Neuroscience and Neurological Recovery
Methodist Rehabilitation Center
1350 East Woodrow Wilson Drive
Jackson, MS 39216, USA

Tel.: +1-601-364-3402 Fax: +1-601-364-3305

E-mail address: jchow@mmrcrehab.org

Download English Version:

https://daneshyari.com/en/article/5627671

Download Persian Version:

https://daneshyari.com/article/5627671

<u>Daneshyari.com</u>