Accepted Manuscript

A simple and reliable method for diagnosis of ventriculoperitoneal shunt malfunction

Hongri Zhang, Jinghua Peng, Xiaowei Hao, Xiaofan Guo, Gang Li

PII: \$1878-8750(17)30546-6

DOI: 10.1016/j.wneu.2017.04.051

Reference: WNEU 5568


To appear in: World Neurosurgery

Received Date: 6 December 2016

Revised Date: 5 April 2017 Accepted Date: 7 April 2017

Please cite this article as: Zhang H, Peng J, Hao X, Guo X, Li G, A simple and reliable method for diagnosis of ventriculoperitoneal shunt malfunction, *World Neurosurgery* (2017), doi: 10.1016/j.wneu.2017.04.051.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



A simple and reliable method for diagnosis of ventriculoperitoneal shunt malfunction

Hongri Zhang^{1,2}, Jinghua Peng², Xiaowei Hao², Xiaofan Guo¹, Gang LI¹

¹Department of Neurosurgery, Qilu Hospital of Shandong University, Jinan, China.

²Department of Neurosurgery, The First Affiliated Hospital of Henan University of Science and Technology, Luoyang, China.

Corresponding author: Gang LI

Department of Neurosurgery, Qilu Hospital of Shandong University, Jinan, China.

E-mail: ligangqiluhospital@163.com

This study was supported by a grant from the Luoyang Youth Medical Science and Technology Innovation program (grant no. 1503008A-17)

Download English Version:

https://daneshyari.com/en/article/5634314

Download Persian Version:

https://daneshyari.com/article/5634314

<u>Daneshyari.com</u>