

# Accepted Manuscript

Conscious Sedation versus General Anesthesia for the Treatment of Cerebral Aneurysms with Flow Diversion: A matched cohort study

Christoph J. Griessenauer, MD, Hussain Shallwani, MD, Nimer Adeeb, MD, Raghav Gupta, Leonardo Rangel-Castilla, MD, Adnan H. Siddiqui, MD, PhD, Elad I. Levy, MD, MBA, Myles D. Boone, MD, Ajith J. Thomas, MD, Christopher S. Ogilvy, MD

PII: S1878-8750(17)30284-X

DOI: [10.1016/j.wneu.2017.02.111](https://doi.org/10.1016/j.wneu.2017.02.111)

Reference: WNEU 5342

To appear in: *World Neurosurgery*


Received Date: 24 November 2016

Revised Date: 21 February 2017

Accepted Date: 24 February 2017

Please cite this article as: Griessenauer CJ, Shallwani H, Adeeb N, Gupta R, Rangel-Castilla L, Siddiqui AH, Levy EI, Boone MD, Thomas AJ, Ogilvy CS, Conscious Sedation versus General Anesthesia for the Treatment of Cerebral Aneurysms with Flow Diversion: A matched cohort study, *World Neurosurgery* (2017), doi: 10.1016/j.wneu.2017.02.111.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Conscious Sedation versus General Anesthesia for the Treatment of Cerebral Aneurysms with Flow Diversion: A matched cohort study**

Christoph J. Griessenauer MD<sup>1</sup>, Hussain Shallwani MD<sup>2</sup>, Nimer Adeeb MD<sup>1</sup>, Raghav Gupta<sup>1</sup>, Leonardo Rangel-Castilla MD<sup>3</sup>, Adnan H. Siddiqui MD, PhD<sup>2</sup>, Elad I. Levy MD, MBA<sup>2</sup>, Myles D. Boone MD<sup>4</sup>, Ajith J. Thomas MD<sup>1</sup>, Christopher S. Ogilvy MD<sup>1</sup>

<sup>1</sup>Neurosurgical Service, Beth Israel Deaconess Medical Center, Harvard Medical School, Boston, MA

<sup>2</sup>Department of Neurosurgery, State University of New York at Buffalo, Buffalo, NY

<sup>3</sup>Department of Neurosurgery, Wayne State University, Detroit, MI

<sup>4</sup>Department of Anesthesiology, Beth Israel Deaconess Medical Center, Harvard Medical School, Boston, MA

Running head: Anesthesia versus sedation for flow diversion

Key words: Flow diversion, Pipeline embolization device, aneurysm, occlusion, outcome, general anesthesia, conscious sedation

Corresponding author:

Christoph J. Griessenauer MD

110 Francis Street, Suite 3B

Boston MA 02215

Phone: 507 254 3905

christoph.griessenauer@gmail.com

Download English Version:

<https://daneshyari.com/en/article/5634583>

Download Persian Version:

<https://daneshyari.com/article/5634583>

[Daneshyari.com](https://daneshyari.com)