Accepted Manuscript



Time Course of Resolution of Hyperprolactinemia after Transsphenoidal Surgery among Patients Presenting with Pituitary Stalk Compression

Hasan A. Zaidi, MD, David J. Cote, BS, Joseph P. Castlen, BS, William T. Burke, BS, Yong-Hui Liu, MD, Timothy R. Smith, MD, PhD, MPH, Edward R. Laws, Jr., MD

PII: S1878-8750(16)30896-8

DOI: 10.1016/j.wneu.2016.09.066

Reference: WNEU 4606

To appear in: *World Neurosurgery*

Received Date: 7 June 2016

Revised Date: 12 September 2016

Accepted Date: 14 September 2016

Please cite this article as: Zaidi HA, Cote DJ, Castlen JP, Burke WT, Liu Y-H, Smith TR, Laws Jr. ER, Time Course of Resolution of Hyperprolactinemia after Transsphenoidal Surgery among Patients Presenting with Pituitary Stalk Compression, *World Neurosurgery* (2016), doi: 10.1016/j.wneu.2016.09.066.

Title: Time Course of Resolution of Hyperprolactinemia after Transsphenoidal Surgery among Patients Presenting with Pituitary Stalk Compression

Authors: [1]Hasan A. Zaidi, MD, [1]David J. Cote, BS, [1]Joseph P. Castlen, BS, [1]William T Burke, BS, [1]Yong-Hui Liu, MD, [1]Timothy R. Smith, MD, PhD, MPH, [1]Edward R. Laws, Jr., MD

Affiliations: [1]Department of Neurosurgery, Brigham and Women's Hospital, Harvard Medical School, 15 Francis Street, Boston, Massachusetts

Corresponding Author:
Hasan A. Zaidi, MD
Brigham and Women's Hospital
15 Francis Street, PBB-3
Boston, MA 02115
Tel.: (617) 525-8371
Fax: (617) 734-8342
E-mail: hzaidi@partners.org

Keywords: Prolactin; Stalk effect; transsphenoidal surgery; dopamine

Running title: Pituitary Stalk Effect Time Course

Disclosure statement: The authors have no personal financial or institutional interest in any of the materials or devices described in this article.