

# Accepted Manuscript

The PulseRider® for the treatment of wide-neck bifurcation intracranial aneurysms: 6 months results

Benjamin Gory, MD, PhD, Alejandro M. Spiotta, MD, Francesco di Paola, MD, Salvatore Mangiafico, MD, Leonardo Renieri, MD, Arturo Consoli, MD, Alessandra Biondi, MD, PhD, Roberto Riva, MD, Paul-Emile Labeyrie, MD, MSc, Francis Turjman, MD, PhD

PII: S1878-8750(16)31377-8

DOI: [10.1016/j.wneu.2016.12.065](https://doi.org/10.1016/j.wneu.2016.12.065)

Reference: WNEU 5026

To appear in: *World Neurosurgery*


Received Date: 30 October 2016

Revised Date: 13 December 2016

Accepted Date: 14 December 2016

Please cite this article as: Gory B, Spiotta AM, di Paola F, Mangiafico S, Renieri L, Consoli A, Biondi A, Riva R, Labeyrie P-E, Turjman F, The PulseRider® for the treatment of wide-neck bifurcation intracranial aneurysms: 6 months results, *World Neurosurgery* (2017), doi: 10.1016/j.wneu.2016.12.065.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**The PulseRider® for the treatment of wide-neck bifurcation intracranial  
aneurysms: 6 months results**

Benjamin Gory<sup>1,2</sup>, MD, PhD; Alejandro M. Spiotta<sup>3</sup>, MD; Francesco di Paola<sup>4</sup>, MD;  
Salvatore Mangiafico<sup>5</sup>, MD; Leonardo Renieri<sup>5</sup>, MD; Arturo Consoli<sup>5</sup>, MD;  
Alessandra Biondi<sup>6</sup>, MD, PhD; Roberto Riva<sup>1</sup>, MD; Paul-Emile Labeyrie<sup>1,2</sup>, MD,  
MSc; Francis Turjman<sup>1,2</sup>, MD, PhD

<sup>1</sup>FHU IRIS, Department of Interventional Neuroradiology, Hôpital Neurologique  
Pierre Wertheimer, Hospices Civils de Lyon, Lyon, France; <sup>2</sup>University Claude  
Bernard Lyon 1; <sup>3</sup>Department of Neurosurgery, Medical University of South  
Carolina, Charleston, South Carolina, USA; <sup>4</sup>Department of Neuroradiology,  
Ospedale Santa Maria, Treviso, Italy; <sup>5</sup>Department of Neuroradiology, Careggi  
University Hospital, Firenze, Italy; and <sup>6</sup>Department of Neuroradiology and  
Endovascular Therapy, Jean-Minjoz Hospital, Franche-Comté University, Besançon,  
France.

**Correspondence:** Dr Benjamin Gory, M.D., Ph.D.; FHU IRIS, Department of  
Interventional Neuroradiology, Hôpital Neurologique Pierre Wertheimer, Hospices  
Civils de Lyon, 59 Bd Pinel, 69677 Bron, France. Tel +33 4 72 68 12 63; Fax +33 4  
72 11 89 13; E-mail: [benjamin.gory@chu-lyon.fr](mailto:benjamin.gory@chu-lyon.fr)

**Short title:** PulseRider®-assisted coiling for wide-neck aneurysms

**Keywords:** intracranial aneurysms; PulseRider®; stent-assisted coiling; stenting;  
outcome

Download English Version:

<https://daneshyari.com/en/article/5634868>

Download Persian Version:

<https://daneshyari.com/article/5634868>

[Daneshyari.com](https://daneshyari.com)