Accepted Manuscript

Neck dissection's burden on the patient: functional and psychosocial aspects in 1,652 patients with oral squamous cell carcinomas

Simon Spalthoff, MD, DDS, Consultant, Rüdiger Zimmerer, MD, DDS, Resident, Philipp Jehn, MD, DDS, Consultant, Nils-Claudius Gellrich, MD, DDS, Professor, Jörg Handschel, MD, DDS, Professor, Gertrud Krüskemper, Medical Psychologist, Professor

PII: S0278-2391(16)30897-7

DOI: 10.1016/j.joms.2016.09.037

Reference: YJOMS 57472

To appear in: Journal of Oral and Maxillofacial Surgery

Received Date: 23 February 2016
Revised Date: 19 September 2016
Accepted Date: 20 September 2016

Please cite this article as: Spalthoff S, Zimmerer R, Jehn P, Gellrich N-C, Handschel J, Krüskemper G, Neck dissection's burden on the patient: functional and psychosocial aspects in 1,652 patients with oral squamous cell carcinomas, *Journal of Oral and Maxillofacial Surgery* (2016), doi: 10.1016/i.ioms.2016.09.037.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Neck dissection's burden on the patient: functional and psychosocial aspects in 1,652 patients with oral squamous cell carcinomas

Simon Spalthoff* MD, DDS, Consultant (1), Rüdiger Zimmerer* MD, DDS, Resident (1), Philipp Jehn MD, DDS, Consultant (1), Nils-Claudius Gellrich MD, DDS, Professor (1), Jörg Handschel MD, DDS, Professor (2), Gertrud Krüskemper, Medical Psychologist, Professor (3)

1 Department of Cranio and Maxillofacial Surgery, Hannover Medical School, Carl-Neuberg-Str. 1, Hannover D-30625, Germany

2 Department of Cranio and Maxillofacial Surgery, Heinrich Heine University of Düsseldorf, Moorenstr. 5, D-40225 Düsseldorf, Germany

3 Department of Medical Psychology, Ruhr University of Bochum, Universitätsstr. 150, Building MA 0/145, D-44780 Bochum, Germany

*contributed equally

Acknowledgments: The authors would like to thank the DÖSAK and all of the staff from the participating Clinics of Oral and Maxillofacial Surgery: Basel, Berlin (Steglitz), Berlin (Virchow), Bochum, Bonn, Dortmund, Duisburg, Düsseldorf, Erfurt, Erlangen, Essen, Frankfurt, Freiburg, Greifswald, Halle, Hannover, Heidelberg, Homburg-Saar, Innsbruck, Kiel, Cologne, Krefeld, Linz, Lübeck, Mainz, Marburg, Munich (LMU), Münster, Osnabrück, Recklinghausen, Regensburg, Rostock, Saarbrücken, Siegen, Suhl, Ulm, Würzburg and Zürich. Together with their patients, these staff members collected the valuable data that have been the subject of our study.

Download English Version:

https://daneshyari.com/en/article/5641751

Download Persian Version:

https://daneshyari.com/article/5641751

<u>Daneshyari.com</u>