Accepted Manuscript

Semaphorin4D drives CD8$^+$ T cell lesional trafficking in oral lichen planus via CXCL9/CXCL10 upregulations in oral keratinocytes

Yao Ke, Erle Dang, Shengxian Shen, Tongmei Zhang, Hongjiang Qiao, Yuqian Chang, Qing Liu, Gang Wang

PII: S0022-202X(17)32683-0

DOI: 10.1016/j.jid.2017.07.818

Reference: JID 984

To appear in: *The Journal of Investigative Dermatology*

Received Date: 10 April 2017

Revised Date: 12 June 2017

Accepted Date: 10 July 2017

Please cite this article as: Ke Y, Dang E, Shen S, Zhang T, Qiao H, Chang Y, Liu Q, Wang G, Semaphorin4D drives CD8$^+$ T cell lesional trafficking in oral lichen planus via CXCL9/CXCL10 upregulations in oral keratinocytes, *The Journal of Investigative Dermatology* (2017), doi: 10.1016/j.jid.2017.07.818.

Semaphorin4D drives CD8$^+$ T cell lesional trafficking in oral lichen planus via CXCL9/CXCL10 upregulations in oral keratinocytes

Yao Ke[1, 2, 3], Erle Dang[1, 3], Shengxian Shen[1, 3], Tongmei Zhang[1,3] , Hongjiang Qiao[1], Yuqian Chang[1], Qing Liu[2], Gang Wang[1]

[1] Department of Dermatology, Xijing Hospital, Fourth Military Medical University, Xi'an, Shaanxi, China.

[2] Department of Oral Medicine, Fourth Military Medical University School of Stomatology, Xi'an, Shaanxi, China

[3] These authors contributed equally to this work

Correspondence: Prof. Gang Wang, Department of Dermatology, Xijing Hospital, Fourth Military Medical University, No 127 of West Changle Road, Xi'an, Shaanxi, 710032, China.

Tel: 86-29-84775401

Fax: 86-29-84775401

Email: xjwgang@fmmu.edu.cn

Short title: Sema4D drives CD8$^+$ T cell lesional trafficking in OLP