

Accepted Manuscript

Skin Treatment with Detergent Promotes Protease Allergen-Dependent Epicutaneous Sensitization in a Manner Different from Tape Stripping in Mice

Hirono Ochi, Toshiro Takai, Sakiko Shimura, Natsuko Maruyama, Izumi Nishioka, Seiji Kamijo, Hideo Iida, Susumu Nakae, Hideoki Ogawa, Ko Okumura, Shigaku Ikeda

PII: S0022-202X(17)31155-7

DOI: [10.1016/j.jid.2017.02.970](https://doi.org/10.1016/j.jid.2017.02.970)

Reference: JID 776

To appear in: *The Journal of Investigative Dermatology*


Received Date: 19 December 2016

Revised Date: 1 February 2017

Accepted Date: 15 February 2017

Please cite this article as: Ochi H, Takai T, Shimura S, Maruyama N, Nishioka I, Kamijo S, Iida H, Nakae S, Ogawa H, Okumura K, Ikeda S, Skin Treatment with Detergent Promotes Protease Allergen-Dependent Epicutaneous Sensitization in a Manner Different from Tape Stripping in Mice, *The Journal of Investigative Dermatology* (2017), doi: 10.1016/j.jid.2017.02.970.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Skin Treatment with Detergent Promotes Protease Allergen-Dependent
Epicutaneous Sensitization in a Manner Different from Tape Stripping in Mice**

Hirono Ochi^{1,2}, Toshiro Takai^{1,*}, Sakiko Shimura^{1,2}, Natsuko Maruyama^{1,2}, Izumi Nishioka^{1,2}, Seiji Kamijo¹, Hideo Iida^{1,2}, Susumu Nakae^{1,3,4}, Hideoki Ogawa^{1,2}, Ko Okumura¹, and Shigaku Ikeda^{1,2}

¹*Atopy (Allergy) Research Center and* ²*Department of Dermatology and Allergology, Juntendo University Graduate School of Medicine, Tokyo, Japan;* ³*Laboratory of Systems Biology, Center for Experimental Medicine and Systems Biology, The Institute of Medical Science, The University of Tokyo, Tokyo, Japan;* ⁴*Precursory Research for Embryonic Science and Technology (PRESTO), Japan Science and Technology Agency, Saitama, Japan*

***Address correspondence and reprint requests to:** Toshiro Takai,

Atopy (Allergy) Research Center, Juntendo University Graduate School of Medicine,
2-1-1 Hongo, Bunkyo-ku, Tokyo 113-8421, Japan.

Phone: +81-3-5802-1591; Fax: +81-3-3813-5512; E-mail: t-takai@juntendo.ac.jp

Download English Version:

<https://daneshyari.com/en/article/5649389>

Download Persian Version:

<https://daneshyari.com/article/5649389>

[Daneshyari.com](https://daneshyari.com)