Accepted Manuscript

Mouse Model of Hydroquinone Hypersensitivity via Innate and Acquired Immunity, and its Promotion by Combined Reagents

Kanan Bando, Yukinori Tanaka, Toshinobu Kuroishi, Keiichi Sasaki, Teruko Takano-Yamamoto, Shunji Sugawara, Yasuo Endo

PII: S0022-202X(17)30015-5

DOI: 10.1016/j.jid.2016.12.018

Reference: JID 689

To appear in: The Journal of Investigative Dermatology

Received Date: 31 March 2016

Revised Date: 8 December 2016

Accepted Date: 20 December 2016

Please cite this article as: Bando K, Tanaka Y, Kuroishi T, Sasaki K, Takano-Yamamoto T, Sugawara S, Endo Y, Mouse Model of Hydroquinone Hypersensitivity via Innate and Acquired Immunity, and its Promotion by Combined Reagents, *The Journal of Investigative Dermatology* (2017), doi: 10.1016/j.jid.2016.12.018.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Mouse Model of Hydroquinone Hypersensitivity via Innate and Acquired Immunity, and its Promotion by Combined Reagents

Short title: Hydroquinone Hypersensitivity

Authors: Kanan Bando^{1,2}*, Yukinori Tanaka^{2,3}, Toshinobu Kuroishi², Keiichi Sasaki⁴, Teruko Takano-Yamamoto¹, Shunji Sugawara², Yasuo Endo²

*Corresponding author: Kanan Bando, Division of Molecular Regulation, Tohoku University Graduate School of Dentistry, Sendai 980-8575, Japan

Fax: +81-22-717-8322 E-mail: kananbando@dent.tohoku.ac.jp

¹Division of Orthodontics and Dentofacial Orthopedics, ²Division of Molecular Regulation, ³Division of Pediatric Dentistry, and ⁴Division of Advanced Prosthetic Dentistry, Tohoku University Graduate School of Dentistry, 4-1 Seiryo-machi, Sendai 980-8575, Japan

Abbreviations:

HQ, Hydroquinone: H1-4R, histamine H1-4 receptor:

TSLP, thymic stromal lymphopoietin: OX, oxazolone: MMA, methyl methacrylate:

HEMA, 2-hydroxyethyl methacrylate: HDC, histidine decarboxylase:

FITC, fluorescein isothiocyanate: PC, pyrocatechol: RR, resorcinol: BQ, 1,4-benzequinone

Download English Version:

https://daneshyari.com/en/article/5649515

Download Persian Version:

https://daneshyari.com/article/5649515

<u>Daneshyari.com</u>