Accepted Manuscript

GPR56/ADGRG1 activation promotes melanoma cell migration via NTF dissociation and CTF-mediated $G\alpha_{12/13}$ /RhoA signaling

Nien-Yi Chiang, Yen-Ming Peng, Horng-Heng Juang, Tse-Ching Chen, Hsiao-Lin Pan, Gin-Wen Chang, Hsi-Hsien Lin

PII: S0022-202X(16)32618-5

DOI: 10.1016/j.jid.2016.10.031

Reference: JID 599

To appear in: The Journal of Investigative Dermatology

Received Date: 31 May 2016

Revised Date: 6 October 2016

Accepted Date: 17 October 2016

Please cite this article as: Chiang N-Y, Peng Y-M, Juang H-H, Chen T-C, Pan H-L, Chang G-W, Lin H-H, GPR56/ADGRG1 activation promotes melanoma cell migration via NTF dissociation and CTF-mediated $G\alpha_{12/13}$ /RhoA signaling, *The Journal of Investigative Dermatology* (2016), doi: 10.1016/j.jid.2016.10.031.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

GPR56/ADGRG1 activation promotes melanoma cell migration via NTF dissociation and CTF-mediated $G\alpha_{12/13}$ /RhoA signaling

Nien-Yi Chiang^{1,*}, Yen-Ming Peng^{2,*}, Horng-Heng Juang^{2,3,4}, Tse-Ching Chen⁵, Hsiao-Lin Pan², Gin-Wen Chang¹, Hsi-Hsien Lin^{1,2,5,6,#}

¹Department of Microbiology and Immunology, ²Graduate Institute of Biomedical Sciences, ³Department of Anatomy, College of Medicine, Chang Gung University, Taoyuan, Taiwan. ⁴Department of Urology, ⁵Department of Anatomic Pathology, Chang Gung Memorial Hospital-Linkou, Taoyuan, Taiwan. ⁶Chang Gung Immunology Consortium, Chang Gung Memorial Hospital and Chang Gung University, Taoyuan, Taiwan.

Running title: GPR56 activation and signaling in melanoma cell

Manuscript length: 28 pages (abstract 148 words), 5 figures, 1 supplementary Table, 6 supplementary figures

* These two authors contribute equally to this manuscript.

Correspondence: Dr. Hsi-Hsien Lin, Department of Microbiology and Immunology, College of Medicine, Chang Gung University, No. 259 Wen-Hwa 1st Road, Kweisan District, Taoyuan City 33302, Taiwan. Phone: [886-(0)3-2118800-ext3321, Fax: 886-(0)3-2118469]. Email: hhlin@mail.cgu.edu.tw

Abbreviations: aGPCR, adhesion GPCR; BFPP, bilateral frontoparietal polymicrogyria; CNS, central nervous system; CTF, C-terminal fragment; ECD, extracellular domain; ECM, extracellular matrix; GAIN, GPCR autoproteolysis-inducing; GPCR, G protein-coupled receptor; GPS, GPCR proteolysis site; IP, immuneprecipitation; mAb, monoclonal antibody; NTF, N-terminal fragment; TG2, tissue transglutaminase; 7TM, seven transmembrane.

Download English Version:

https://daneshyari.com/en/article/5649748

Download Persian Version:

https://daneshyari.com/article/5649748

<u>Daneshyari.com</u>