Accepted Manuscript

UVA and UVB induce different sets of long non-coding RNAs

Kazuyuki Yo, Thomas M. Rünger

PII: S0022-202X(16)32641-0

DOI: 10.1016/j.jid.2016.10.041

Reference: JID 614

To appear in: The Journal of Investigative Dermatology

Received Date: 17 May 2016

Revised Date: 21 October 2016

Accepted Date: 24 October 2016

Please cite this article as: Yo K, Rünger TM, UVA and UVB induce different sets of long non-coding RNAs, *The Journal of Investigative Dermatology* (2016), doi: 10.1016/j.jid.2016.10.041.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

Letter to the Editor

UVA and UVB induce different sets of long non-coding RNAs

Kazuyuki Yo^{1, 2} and Thomas M. Rünger¹

¹ Department of Dermatology, Boston University School of Medicine, 609 Albany Street, Boston, MA, USA

² Dermatological R & D, Skin Research Department, POLA Chemical Industries Inc., 560 Kashio-cho, Totsuka-ku, Yokohama, 2240812, Japan

Correspondence:

Thomas M. Rünger Department of Dermatology Boston University School of Medicine 609 Albany Street Boston, MA 02118

Tel: 617 638 5500 Fax: 617 638 5515

e-mail: truenger@bu.edu

Short title: UVA and UVB induce different sets of lncRNAs

Abbreviations: lncRNA, long non-coding RNA; UVR, ultraviolet radiation

Download English Version:

https://daneshyari.com/en/article/5649757

Download Persian Version:

https://daneshyari.com/article/5649757

Daneshyari.com