

Accepted Manuscript

Best practice during procedural sedation with ketamine

Reuben J. Strayer MD, Bradley D. Shy MD

PII: S0735-6757(16)30827-0
DOI: doi: [10.1016/j.ajem.2016.11.018](https://doi.org/10.1016/j.ajem.2016.11.018)
Reference: YAJEM 56276

To appear in: *American Journal of Emergency Medicine*

Received date: 2 November 2016
Accepted date: 4 November 2016



Please cite this article as: Strayer Reuben J., Shy Bradley D., Best practice during procedural sedation with ketamine, *American Journal of Emergency Medicine* (2016), doi: [10.1016/j.ajem.2016.11.018](https://doi.org/10.1016/j.ajem.2016.11.018)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Best Practice During Procedural Sedation with Ketamine

Reuben J. Strayer, MD^a
Bradley D. Shy, MD^a

^aDepartment of Emergency Medicine
Icahn School of Medicine at Mount Sinai
New York, New York

Corresponding Author Address:

Reuben J. Strayer
151 First Avenue #62
New York, NY 10003
United States
(917) 720-5607
emupdates@gmail.com

No support or conflicts.

Key Words: ketamine, procedural sedation, hypertension, pulmonary edema, propofol

Download English Version:

<https://daneshyari.com/en/article/5651030>

Download Persian Version:

<https://daneshyari.com/article/5651030>

[Daneshyari.com](https://daneshyari.com)