

# Subject Index

## July–December 2016

July, pp. 1-152; e1-e48; August, pp. 153-254; e49-e58; September, pp. 255-408; e59-e70; October, pp. 409-530; e71-e80; S1-S156; November, pp. 531-648; e81-e88; December, pp. 649-792; e89-e94.

### A

#### Abdomen, MRI

Implementation of a MRI program for the evaluation of pediatric right lower quadrant abdominal pain: effect on emergency department length of stay in adolescent females (Olympia et al.). 2016;68:S36 (*Research Forum* abstracts)

Prospective comparison of contrast-enhanced magnetic resonance imaging versus contrast-enhanced computed tomography for suspected appendicitis in children and young adults (Harringa et al.). 2016;68:S147–S148 (*Research Forum* abstracts)

#### Abdomen, radiography

Acute care diagnostic collaboration: Bayesian comparative assessment of diagnostic accuracy of CT scan and ultrasonography in the diagnosis of urolithiasis after the application of the STONE score (Cochon et al.). 2016;68:S140–S141 (*Research Forum* abstracts)

Defining and measuring reduced radiation dose CT scan utilization for renal colic CT (Moore et al.). 2016;68:S37 (*Research Forum* abstracts)

Impact of electronic medical record system on CT scan use in recurrent abdominal pain patients (Michael et al.). 2016;68:S8 (*Research Forum* abstracts)

Pediatric appendicitis: trends in emergency department imaging and outcomes in the community setting, 2010-2015 (Kene et al.). 2016;68:S82–S83 (*Research Forum* abstracts)

Predictive value of point-of-care lactate measurement in patients meeting level II and III trauma team activation criteria who present to the emergency department: a prospective study (Wentling et al.). 2016;68:S136 (*Research Forum* abstracts)

Prospective comparison of contrast-enhanced magnetic resonance imaging versus contrast-enhanced computed tomography for suspected appendicitis in children and young adults (Harringa et al.). 2016;68:S147–S148 (*Research Forum* abstracts)

Reducing computed tomography utilization in the evaluation of renal colic in the emergency department (Hertner). 2016;68:S36–S37 (*Research Forum* abstracts)

The “sinking” STONE (Moore et al.); Reply (Green and Schriger). 2016;68:131–133 (Correspondence)

Suspected small bowel obstruction in the emergency department: accuracy of point-of-care ultrasound (Gonzales et al.). 2016;68:S138 (*Research Forum* abstracts)

Trends in computed tomography and ultrasonography use in pediatric patients presenting to US emergency departments with non-traumatic abdominal pain from 2007 to 2011 (Cohen et al.). 2016;68:S46 (*Research Forum* abstracts)

[Young child with abdominal and back pain] (Lipsett and Neuman). 2016;68:780 (Images in Emergency Medicine), 791 (Images in Emergency Medicine)

#### Abdomen, ultrasonography. *See also* FAST exam

Accuracy and reliability of gastric ultrasound for stomach contents (Mackenzie et al.). 2016;68:S134 (*Research Forum* abstracts)

Accuracy of point-of-care ultrasonography for diagnosing acute appendicitis: a systematic review and meta-analysis (Alsup et al.). 2016;68:S138–S139 (*Research Forum* abstracts)

Acute care diagnostic collaboration: Bayesian comparative assessment of diagnostic accuracy of CT scan and ultrasonography in the diagnosis of urolithiasis after the application of the STONE score (Cochon et al.). 2016;68:S140–S141 (*Research Forum* abstracts)

Pediatric appendicitis: trends in emergency department imaging and outcomes in the community setting, 2010-2015 (Kene et al.). 2016;68:S82–S83 (*Research Forum* abstracts)

Suspected small bowel obstruction in the emergency department: accuracy of point-of-care ultrasound (Gonzales et al.). 2016;68:S138 (*Research Forum* abstracts)

Trends in computed tomography and ultrasonography use in pediatric patients presenting to US emergency departments with non-traumatic

abdominal pain from 2007 to 2011 (Cohen et al.). 2016;68:S46 (*Research Forum* abstracts)

#### Abdominal injuries. *See also* Hemorrhage, traumatic

**Abdominal injuries, diagnosis.** *See also* FAST exam

Reliability of the abdominal exam in blunt trauma patients with altered mental status (Kang et al.). 2016;68:S136 (*Research Forum* abstracts)

#### Abdominal pain, diagnosis

Impact of electronic medical record system on CT scan use in recurrent abdominal pain patients (Michael et al.). 2016;68:S8 (*Research Forum* abstracts)

Implementation of a MRI program for the evaluation of pediatric right lower quadrant abdominal pain: effect on emergency department length of stay in adolescent females (Olympia et al.). 2016;68:S36 (*Research Forum* abstracts)

Trends in computed tomography and ultrasonography use in pediatric patients presenting to US emergency departments with non-traumatic abdominal pain from 2007 to 2011 (Cohen et al.). 2016;68:S46 (*Research Forum* abstracts)

[Young child with abdominal and back pain] (Lipsett and Neuman). 2016;68:780 (Images in Emergency Medicine), 791 (Images in Emergency Medicine)

#### Abdominal pain, drug therapy

Haloperidol undermining gastroparesis symptoms in the emergency department (Stalcup et al.). 2016;68:S80 (*Research Forum* abstracts)

Predictors of opioid analgesic administration for abdominal pain in the emergency department (Mazer-Amirshahi et al.). 2016;68:S97 (*Research Forum* abstracts)

#### Abscess, therapy

Bedside washout of a septic shoulder in the emergency department: a case report (Bunting and Kuper). 2016;68:110–113 (Case Report)

Cleaning out practice myths: another emergency medicine treatment debunked [Journal Club answers for Chinnock et al., 2016;67:379-383] (Wolfe and Barrett). 2016;68:238–243

A retrospective institutional review of vessel loops for incision and drainage of abscesses in the pediatric emergency department (Starr et al.). 2016;68:S82 (*Research Forum* abstracts)

#### ACA. *See* Patient Protection and Affordable Care Act (ACA)

#### Acoustic cardiography

Accelerometer-based acoustic cardiography to detect ventricular unloading in acute heart failure (Stayer et al.). 2016;68:S20–S21 (*Research Forum* abstracts)

#### Activity trackers

Interrogation of patient smartphone activity tracker to assist arrhythmia management (Rudner et al.). 2016;68:292–294 (Case Report)

#### Acupuncture

Auricular acupuncture in emergency department treatment of acute pain (Tsai et al.). 2016;68:583–585 (Case Report)

Randomized trial of acupuncture versus standard therapy to treat low back pain in the emergency department (Fox et al.). 2016;68:S81 (*Research Forum* abstracts)

#### ADAPT accelerated diagnostic pathway

Effectiveness of EDACS versus ADAPT accelerated diagnostic pathways for chest pain: a pragmatic randomized controlled trial embedded within practice (Than et al.). 2016;68:93–102

#### Adhesives. *See* Skin adhesives

#### Administrative claims, health care

Improving the identification of emergency department visits in Medicare administrative claims (Venkatesh et al.). 2016;68:S57–S58 (*Research Forum* abstracts)

#### “Admit time”

Definition of “admit time” (American College of Emergency Physicians). 2016;68:406 (Policy Statements)

#### Adolescents

[Adolescent athlete with sudden groin pain] (Cozzi et al.) 2016;68:639 (Images in Emergency Medicine), 648 (Images in Emergency Medicine)

- The evaluation and treatment of minors (American College of Emergency Physicians). 2016;68:144–145 (Policy Statements)
- Implementation of a MRI program for the evaluation of pediatric right lower quadrant abdominal pain: effect on emergency department length of stay in adolescent females (Olympia et al.). 2016;68:S36 (*Research Forum* abstracts)
- Prospective comparison of contrast-enhanced magnetic resonance imaging versus contrast-enhanced computed tomography for suspected appendicitis in children and young adults (Harrington et al.). 2016;68:S147–S148 (*Research Forum* abstracts)
- Snapchat toxicology: social media and suicide (Chhabra and Bryant). 2016;68:527 (Correspondence)
- Adrenal insufficiency**
- Pituitary dysfunction: a case series of immune checkpoint inhibitor–related hypophysitis in an emergency department (Miller et al.). 2016;68:249–250 (Correspondence)
- Affidavits of merit**
- Anonymous affidavits of merit (American College of Emergency Physicians). 2016;68:405 (Policy Statements)
- Affordable Care Act.** See Patient Protection and Affordable Care Act (ACA)
- Africa.** See also specific countries
- Economic Community of West African States disaster preparedness exercise: building regional capacity to enhance health security (Morton Hamer et al.). 2016;68:S72–S73 (*Research Forum* abstracts)
- Aged.** See also Elder abuse, diagnosis; Medicare beneficiaries
- Are triage questions sufficient to assess fall risk in the emergency department? (Southerland et al.). 2016;68:S100–S101 (*Research Forum* abstracts)
- Does home benzodiazepine and anticholinergic medication use increase the odds of delirium in older emergency department patients? (Yuan et al.). 2016;68:S61–S62 (*Research Forum* abstracts)
- Emergency department interventions and their effect on delirium's natural course: the folly may be in the Foley (Noel et al.). 2016;68:S50 (*Research Forum* abstracts)
- Exploring older adult emergency department fall patients' understanding of their falls: a qualitative study (Taylor et al.). 2016;68:S105 (*Research Forum* abstracts)
- Finding factors associated with post-emergency department morbidity and mortality in elderly patients: analyzing a case-control study [Journal Club questions for Gabayan et al., 2016;68:43–51] (Garg); [Answers] (Garg et al.). 2016;68:123–124, 772–777
- GEDI WISE: evaluation of the transitional care nurse intervention impact on hospital admissions from the emergency department (Hwang et al.). 2016;68:S2 (*Research Forum* abstracts)
- Out-of-hospital assessment of head injury in older adults: influence on destination decisions and agreement with emergency physician assessment (Jones et al.). 2016;68:S38 (*Research Forum* abstracts)
- Poor outcomes after emergency department discharge of the elderly: a case-control study (Gabayan et al.). 2016;68:43–51
- Quality improvement initiatives for the care of geriatric patients in the emergency department (American College of Emergency Physicians). 2016;68:404 (Policy Statements)
- Resuscitating end-of-life care (LeFebvre and Platts-Mills). 2016;68:40–42 (Editorial)
- A systematic review of hyaluronidase-assisted subcutaneous fluid administration in pediatrics and geriatrics and its potential application in low-resource settings (Wilhelm and Barcellona). 2016;68:S76 (*Research Forum* abstracts)
- Who am I to decide whether this person is to die today? Physicians' life-or-death decisions for elderly critically ill patients at the emergency department–ICU interface: a qualitative study (Fassier et al.). 2016;68:28–39
- Age factors**
- Patient demographics and past behavior improve split-flow triage accuracy (Zhang et al.). 2016;68:S112–S113 (*Research Forum* abstracts)
- Who initiates and what is at the root of patient care quality complaints? (Barata et al.). 2016;68:S122 (*Research Forum* abstracts)
- Agitation**
- Assessment of stress biomarkers in agitated emergency department patients before and after treatment (Klein et al.). 2016;68:S85–S86 (*Research Forum* abstracts)
- Characteristics of emergency department patients with agitation and excited delirium syndrome (Klein et al.). 2016;68:S93 (*Research Forum* abstracts)
- Comparison of stress biomarkers in emergency department patients with severe pain or agitation (Klein et al.). 2016;68:S27 (*Research Forum* abstracts)
- Comparison of the cross core maneuver with the four-extremity hold in simulated agitated patients (Raizada and Juergens). 2016;68:S86 (*Research Forum* abstracts)
- Air pollution**
- The Asthma Mobile Health Study: wildfires and asthma exacerbations, just blowing smoke or is there a correlation? (Gowda et al.). 2016;68:S69–S70 (*Research Forum* abstracts)
- AIR score**
- Examining reliability and validity of an online score (ALiEM AIR) for rating free open access medical education resources (Chan et al.). 2016;68:729–735
- Rating the ratings: the AIR scoring system for blogs and podcasts [Journal Club answers for Chan et al., 2016;68:513–518] (Trueger and Schriger). 2016;68:513–518
- Yelp, but for blogs? (Trueger). 2016;68:736–737 (Editorial)
- Airway management.** See also Intubation, intratracheal
- Efficacy of nasal cannula oxygen as a preoxygenation adjunct in emergency airway management (Hayes-Bradley et al.). 2016;68:174–180
- STABCric 3: surgical technique against bougie cricothyrotomy (Layng). 2016;68:S23–S24 (*Research Forum* abstracts)
- Use of a supraglottic airway to relieve ventilation-impeding gastric insufflation during emergency airway management in an infant (Dodd et al.). 2016;68:452–455 (Case Report)
- Albuterol.** See Bronchodilator agents
- Alcohol drinking**
- Motor vehicle safety (American College of Emergency Physicians). 2016;68:146–147 (Policy Statements)
- Alcohol intoxication**
- Acutely intoxicated patients' ability to provide informed consent to research in the emergency department (Klein et al.). 2016;68:S85 (*Research Forum* abstracts)
- Impact of an urban, police department-initiated jail diversion of inebriates to a sobering center (Weltge et al.). 2016;68:S66–S67 (*Research Forum* abstracts)
- Alcohol-related disorders**
- Frequency of alcohol use among injured adult patients presenting to a Ghanaian emergency department (Forson et al.). 2016;68:492–500
- Remember to take your vitamins... (Grock et al.). 2016;68:389–391 (EM:RAP Commentary)
- All-terrain vehicles.** See Off-road motor vehicles
- Altered mental status.** See also Delirium
- Predictive value of point-of-care lactate measurement in patients meeting level II and III trauma team activation criteria who present to the emergency department: a prospective study (Wentling et al.). 2016;68:S136 (*Research Forum* abstracts)
- Aluminum phosphide, poisoning**
- Risk of exposure to medical providers from patients who have ingested metal phosphides (Musleh et al.). 2016;68:S128 (*Research Forum* abstracts)
- Amlodipine, poisoning**
- Development of a porcine model of amlodipine toxicity (LeRoy et al.). 2016;68:S128–S129 (*Research Forum* abstracts)
- Ampicillin**
- Feasibility of hyaluronidase augmented subcutaneous administered ampicillin in a mouse model (Nakanishi et al.). 2016;68:S11–S12 (*Research Forum* abstracts)
- Analgesia.** See also specific disorders
- Amid finger-pointing for an overdose epidemic, emergency physicians seek pain control alternatives (Greene). 2016;68:17A–20A [August issue] (News & Perspective)
- Are non-pharmacologic pain interventions effective at reducing pain in adult patients visiting the emergency department? (Sakamoto et al.). 2016;68:S90 (*Research Forum* abstracts)
- Auricular acupuncture in emergency department treatment of acute pain (Tsai et al.). 2016;68:583–585 (Case Report)
- The emergency care of patients with cancer: setting the research agenda (Brown et al.). 2016;68:706–711 (Special Contribution)
- Request of analgesia by patients and parents for acute pain in children (Bergeron and Bailey). 2016;68:S73 (*Research Forum* abstracts)
- Analgesia, patient-controlled**
- Implementation of patient-controlled analgesia creates consistent patient expectations with no negative impacts on operational metrics or patient experience (Nappi and Wilson). 2016;68:S89 (*Research Forum* abstracts)
- Analgesia, post-intubation**
- Can an electronic health record order set improve analgesia and sedation in the intubated emergency department patient? (Ritchey et al.). 2016;68:S70 (*Research Forum* abstracts)
- Analgesics.** See also Ketamine

Download English Version:

<https://daneshyari.com/en/article/5652057>

Download Persian Version:

<https://daneshyari.com/article/5652057>

[Daneshyari.com](https://daneshyari.com)