


Accepted Manuscript

In vivo IL-4 prevents allo-antigen driven CD8+ CTL development

Charles S. Via, Kateryna Soloviova, Maksym Puliaiev, Roman Puliav, Irina Puliaeva, Suzanne C. Morris, Fred D. Finkelman



PII: S1521-6616(17)30100-6
DOI: doi: [10.1016/j.clim.2017.03.008](https://doi.org/10.1016/j.clim.2017.03.008)
Reference: YCLIM 7819

To appear in: *Clinical Immunology*

Received date: 8 February 2017
Revised date: 17 March 2017
Accepted date: 18 March 2017

Please cite this article as: Charles S. Via, Kateryna Soloviova, Maksym Puliaiev, Roman Puliav, Irina Puliaeva, Suzanne C. Morris, Fred D. Finkelman , In vivo IL-4 prevents allo-antigen driven CD8+ CTL development. The address for the corresponding author was captured as affiliation for all authors. Please check if appropriate. Yclim(2017), doi: [10.1016/j.clim.2017.03.008](https://doi.org/10.1016/j.clim.2017.03.008)

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

In vivo IL-4 prevents allo-antigen driven CD8⁺ CTL development

Charles S. Via* charles.via@usuhs.edu, Kateryna Soloviova *, Maksym Puliaiev*, Roman Puliaiv*, Irina Puliaeva*, Suzanne C. Morris[§], Fred D. Finkelman[§].

*Department of Pathology, Uniformed Services University of Health Sciences, Bethesda MD 20814; and [§]Division of Immunology, University of Cincinnati College of Medicine, Cincinnati, OH 45267; Division of Immunobiology, Cincinnati Children's Hospital Medical Center, Cincinnati, OH 45229; and Department of Medicine, Cincinnati Veterans Affairs Medical Center, Cincinnati, OH 45220.

Address correspondence to: Charles S. Via M.D., Department of Pathology, Room 3B100, 4301 Jones Bridge Road, Uniformed Services University of Health Sciences, Bethesda, MD 20814. Phone: 301 295 3801; Fax 301 295 1640

Abbreviations used: BDF1, B6D2F1; B6, C57Bl/6; *GrB*, *granzyme B*; HVG, host-vs.-graft; KO, knock out; p→F1, parent-into-F1; pfp, perforin; Tfh, *T follicular helper*; WT, wild type.

Download English Version:

<https://daneshyari.com/en/article/5654866>

Download Persian Version:

<https://daneshyari.com/article/5654866>

[Daneshyari.com](https://daneshyari.com)