Accepted Manuscript

Prevalence of low muscle mass according to body mass index in older adults

Christophe E. Graf, Claude Pichard, François R. Herrmann, Cornel C. Sieber, Dina Zekry, Laurence Genton

PII: S0899-9007(16)30223-4

DOI: 10.1016/j.nut.2016.10.002

Reference: NUT 9853

To appear in: *Nutrition*

Received Date: 12 August 2016

Revised Date: 24 September 2016

Accepted Date: 1 October 2016

Please cite this article as: Graf CE, Pichard C, Herrmann FR, Sieber CC, Zekry D, Genton L, Prevalence of low muscle mass according to body mass index in older adults, *Nutrition* (2016), doi: 10.1016/j.nut.2016.10.002.

Prevalence of low muscle mass according to body mass index in older adults

Christophe E. Graf [1], Claude Pichard [2], François R. Herrmann [3], Cornel C. Sieber[3], Dina Zekry [3], Laurence Genton [2]

[1] Department of Rehabilitation and Palliative Medicine, Division of Medical Rehabilitation, Geneva University Hospitals and University of Geneva, Geneva, Switzerland

[2] Clinical Nutrition, Geneva University Hospitals and University of Geneva, Geneva, Switzerland

[3] Geriatrics, Dept. Internal Medicine, Rehabilitation and Geriatrics, Geneva University Hospitals and University of Geneva, Geneva, Switzerland

[4] Friedrich-Alexander-University Erlangen-Nürnberg, Nürnberg, Germany

Date: 12.08.2016

Article content: 2509 words, 1 tables, 2 figures

Abbreviated title: Low muscle mass in older patients

Abbreviations: BIA: bioelectrical impedance analysis, FFMI: fat-free mass index; FMI: fat mass index: SMP: percent skeletal muscle

Clinical Trial registry: clinicaltrials.gov, identifier: NCT01472679.

Correspondence and reprint requests to:

Laurence Genton, MD, Clinical Nutrition

Rue Gabrielle Perret-Gentil 4, Geneva University Hospital, 1211 Geneva 14, Switzerland

Phone: +41 / 22 3729 344 Fax: +41 / 22 3729 363. E-mail: laurence.genton@hcuge.ch