

Accepted Manuscript

Association Between Proton Pump Inhibitor Use and Cognitive Function in Women

Paul Lochhead, MBChB, PhD, Kaitlin Hagan, MPH, ScD, Amit D. Joshi, MBBS, PhD, Hamed Khalili, MD, MPH, Long H. Nguyen, MD, MS, Francine Grodstein, ScD, Andrew T. Chan, MD, MPH.



PII: S0016-5085(17)35910-3
DOI: [10.1053/j.gastro.2017.06.061](https://doi.org/10.1053/j.gastro.2017.06.061)
Reference: YGAST 61292

To appear in: *Gastroenterology*
Accepted Date: 29 June 2017

Please cite this article as: Lochhead P, Hagan K, Joshi AD, Khalili H, Nguyen LH, Grodstein F, Chan AT, Association Between Proton Pump Inhibitor Use and Cognitive Function in Women, *Gastroenterology* (2017), doi: 10.1053/j.gastro.2017.06.061.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

Title: Association Between Proton Pump Inhibitor Use and Cognitive Function in Women

Authors: Paul Lochhead, MBChB, PhD;^{1,2} Kaitlin Hagan, MPH, ScD;^{3,4} Amit D. Joshi, MBBS, PhD;^{1,2} Hamed Khalili, MD, MPH;^{1,2} Long H. Nguyen, MD, MS;^{1,2} Francine Grodstein, ScD;^{3,4} Andrew T. Chan, MD, MPH.^{1,2,4}

Author affiliations: ¹ Clinical and Translational Epidemiology Unit, Massachusetts General Hospital and Harvard Medical School, Boston, MA; ² Division of Gastroenterology, Massachusetts General Hospital, Boston, MA. ³ Department of Epidemiology, Harvard TH Chan School of Public Health, Boston, MA; ⁴ Channing Division of Network Medicine, Brigham and Women's Hospital and Harvard Medical School, Boston, MA.

Grant support: This work was supported by grants UM1 CA176726, R21MH102570, K24DK098311 (ATC), and K01DK110267 (ADJ) from the National Institutes of Health.

Abbreviations: AD, Alzheimer's disease; AHEI, alternative healthy eating index; BMI, body mass index; CI, confidence interval; H2RA, H2 receptor antagonist; MET, metabolic equivalent of task; NSAID, non-steroidal anti-inflammatory drug; PPI, proton pump inhibitor; SD, standard deviation.

Corresponding author:

Andrew T. Chan, MD, MPH
Clinical and Translational Epidemiology Unit
Massachusetts General Hospital
55 Fruit Street, GRJ 825C
Boston, MA, 02114
E-mail: achan@mgh.harvard.edu
Phone: 617-726-3212
Fax: 617-724-6832

Disclosures: Dr Chan has served as a consultant for Bayer Healthcare, Pfizer, and Aralez Pharmaceuticals. Dr Khalili receives consulting fees from Abbvie Inc., Samsung Bioepis, and Takeda Pharmaceuticals. The remaining authors have no conflicts of interest to disclose.

ACKNOWLEDGEMENTS:

We acknowledge the substantial scientific contribution made by women participating in the Nurses' Health Study II.

Download English Version:

<https://daneshyari.com/en/article/5658131>

Download Persian Version:

<https://daneshyari.com/article/5658131>

[Daneshyari.com](https://daneshyari.com)