

Accepted Manuscript

Timing Affects Measurement of Portal Pressure Gradient After Placement of Transjugular Intrahepatic Porto-systemic Shunts in Patients With Portal Hypertension

Gilberto Silva-Junior, Fanny Turon, Anna Baiges, Eira Cerda, Ángeles García-Criado, Annabel Blasi, Ferran Torres, Virginia Hernandez-Gea, Jaume Bosch, Juan Carlos Garcia-Pagan

PII: S0016-5085(17)30051-3
DOI: [10.1053/j.gastro.2017.01.011](https://doi.org/10.1053/j.gastro.2017.01.011)
Reference: YGAST 60924

To appear in: *Gastroenterology*
Accepted Date: 11 January 2017

Please cite this article as: Silva-Junior G, Turon F, Baiges A, Cerda E, García-Criado Á, Blasi A, Torres F, Hernandez-Gea V, Bosch J, Garcia-Pagan JC, Timing Affects Measurement of Portal Pressure Gradient After Placement of Transjugular Intrahepatic Porto-systemic Shunts in Patients With Portal Hypertension, *Gastroenterology* (2017), doi: 10.1053/j.gastro.2017.01.011.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Timing Affects Measurement of Portal Pressure Gradient After Placement of Transjugular Intrahepatic Porto-systemic Shunts in Patients With Portal Hypertension

Gilberto Silva-Junior^{1*}, Fanny Turon^{1*}, Anna Baiges¹, Eira Cerda¹, Ángeles García-Criado², Annabel Blasi³, Ferran Torres^{4,5}, Virginia Hernandez-Gea^{1,6}, Jaume Bosch^{1,6,7}, Juan Carlos Garcia-Pagan^{1,6}

¹Barcelona Hepatic Hemodynamic Laboratory, Liver Unit; Hospital Clínic-IDIBAPS, University of Barcelona, Spain

²Centre de Diagnostic per l'Imatge, Hospital Clínic, Barcelona, Spain

³Anesthesiology Department, Hospital Clínic-IDIBAPS, University of Barcelona, Barcelona, Spain

⁴Biostatistics and Data Management Core Facility, IDIBAPS, Hospital Clínic Barcelona, Barcelona, Spain

⁵Biostatistics Unit, Faculty of Medicine, Universitat Autònoma de Barcelona, Barcelona, Spain

⁶CIBERehd (Centro de Investigación Biomédica en Red de Enfermedades Hepáticas y Digestivas), Barcelona, Spain

⁷Swiss Liver Center, Inselspital, Berne University, Switzerland

* These authors share first authorship

Short title: PPG measurement after TIPS

Download English Version:

<https://daneshyari.com/en/article/5658551>

Download Persian Version:

<https://daneshyari.com/article/5658551>

[Daneshyari.com](https://daneshyari.com)