Accepted Manuscript

A System for In Vivo Imaging of Hepatic Free Fatty Acid Uptake

Hyo Min Park, Kim A. Russo, Grigory Karateev, Michael Park, Elena Dubikovskaya, Lance J. Kriegsfeld, Andreas Stahl

PII: S0016-5085(16)35185-X
DOI: 10.1053/j.gastro.2016.10.002
Reference: YGAST 60754

To appear in: *Gastroenterology*
Accepted Date: 4 October 2016

Please cite this article as: Park HM, Russo KA, Karateev G, Park M, Dubikovskaya E, Kriegsfeld LJ, Stahl A, A System for In Vivo Imaging of Hepatic Free Fatty Acid Uptake, *Gastroenterology* (2016), doi: 10.1053/j.gastro.2016.10.002.

A System for In Vivo Imaging of Hepatic Free Fatty Acid Uptake

Hyo Min Park[1], Kim A. Russo[2], Grigory Karateev[3], Michael Park[1], Elena Dubikovskaya[3], Lance J. Kriegsfeld[2] and Andreas Stahl[1*]

[1]Department of Nutritional Science and Toxicology, University of California Berkeley, Berkeley, CA 94720

[2]Department of Psychology and The Helen Wills Neuroscience Institute, University of California Berkeley, Berkeley, CA 94720

[3]Institute of Chemical Sciences and Engineering, Swiss Federal Institute of Technology of Lausanne, LCBIM, CH-1015 Lausanne, Switzerland

* To whom correspondence should be addressed: astahl@berkeley.edu

Author Contributions: H.P designed and performed all experiments, analyzed data and wrote the manuscript. K.A.R and L.J.K designed and performed diurnal rhythm experiments. G.K and E.D produced FFA-Luc. M.P assisted H.P with experiments. A.S is the guarantor of this work, had full access to all the data, and takes full responsibility for the integrity of data and the accuracy of data analysis.

Conflict of Interest: The authors declare that there are no conflicts of interest.

Acknowledgements:

The authors thank the staff of the Berkeley Bioimaging Facility, Drs. Ruzin and Schichnes, for their help. This work was supported in part by NIH/NCI 1R21CA187306 and NIH/NIDDK 5R01DK066336 to AS.