Accepted Manuscript

Estrogen Signals through PPARG coactivator 1 alpha to Reduce Oxidative Damage Associated with Diet-induced Fatty Liver Disease

Aurèle Besse-Patin, Mélissa Léveillé, Daniel Oropeza, Bich N. Nguyen, Annick Prat, Jennifer L. Estall

PII: S0016-5085(16)35111-3
DOI: 10.1053/j.gastro.2016.09.017
Reference: YGAST 60708

To appear in: *Gastroenterology*
Accepted Date: 15 September 2016

Please cite this article as: Besse-Patin A, Léveillé M, Oropeza D, Nguyen BN, Prat A, Estall JL, Estrogen Signals through PPARG coactivator 1 alpha to Reduce Oxidative Damage Associated with Diet-induced Fatty Liver Disease, *Gastroenterology* (2016), doi: 10.1053/j.gastro.2016.09.017.

Estrogen Signals through PPARG coactivator 1 alpha to Reduce Oxidative Damage Associated with Diet-induced Fatty Liver Disease

Aurèle Besse-Patin[1,2], Mélissa Léveillé[1,2], Daniel Oropeza[1,3], Bich N. Nguyen[4,5], Annick Prat[6] and Jennifer L. Estall[1,2,3,]*

[1] Institut de Recherches Cliniques de Montreal (IRCM), 110 Ave des Pins Ouest, Montreal, Quebec, H2W 1R7 Canada.

[2] Department of Medicine, University of Montreal, 2900 Boulevard Edouard-Montpetit Montreal, Quebec, H3T 1J4 Canada

[3] Department of Anatomy and Cell Biology, McGill University, Montreal, Quebec, Canada.

[4] Department of Pathology and Cell Biology, University of Montreal, 2900 Boulevard Edouard-Montpetit Montreal, Quebec, H3T 1J4 Canada.

[5] University of Montreal Health Network (CHUM), 1058, rue saint-Denis, Montreal, Quebec H2X 3J4 Canada.

[6] Laboratory of Biochemical Neuroendocrinology, Institut de Recherches Cliniques de Montreal (IRCM).

Short Title: Reduced hepatic PGC-1alpha worsens NAFLD

Word count: 6993

Number of figures: 7 figures, 8 Supplementary figures, 2 Supplementary Tables

*Correspondence and reprint requests should be addressed to:

Jennifer L. Estall, PhD

Molecular Mechanisms of Diabetes

Institut de Recherches Cliniques de Montreal.

110 avenue des Pins Ouest, Montreal, Quebec, H2W 1R7, Canada.