

# Accepted Manuscript

How to improve your adenoma detection rate during colonoscopy

Neil Gupta, MD, MPH, Co-Director, Digestive Health Center, Director of  
Interventional Endoscopy, Associate Professor of Medicine



PII: S0016-5085(16)35230-1  
DOI: [10.1053/j.gastro.2016.10.008](https://doi.org/10.1053/j.gastro.2016.10.008)  
Reference: YGAST 60769

To appear in: *Gastroenterology*

Please cite this article as: Gupta N, How to improve your adenoma detection rate during colonoscopy, *Gastroenterology* (2016), doi: 10.1053/j.gastro.2016.10.008.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**How to improve your adenoma detection rate during colonoscopy**

Neil Gupta MD, MPH  
Co-Director, Digestive Health Center  
Director of Interventional Endoscopy  
Associate Professor of Medicine  
Division of Gastroenterology  
Loyola University Medical Center  
2160 South First Ave  
Building 54, Room 167  
Maywood, IL 60153  
[Ngupta713@gmail.com](mailto:Ngupta713@gmail.com)

Disclosures: Neil Gupta has received research support from Cook Medical, CDx Diagnostics, and Cosmo Pharmaceuticals; speaking fees from Taewoong Medical; consulting fees from Elsevier

Download English Version:

<https://daneshyari.com/en/article/5658948>

Download Persian Version:

<https://daneshyari.com/article/5658948>

[Daneshyari.com](https://daneshyari.com)