Accepted Manuscript

EUS-guided celiac ganglia neurolysis: a clinical and human cadaver study (with video)

Wouter F.W. Kappelle, MD, Ronald L.A.W. Bleys, MD, PhD, Albert J.M. van Wijck, MD, PhD, Peter D. Siersema, MD, PhD, Frank P. Vleggaar, MD, PhD

PII: S0016-5107(17)30085-8

10.1016/j.gie.2017.01.041

Reference: YMGE 10409

DOI:

To appear in: Gastrointestinal Endoscopy

Received Date: 17 November 2016

Accepted Date: 31 January 2017

Please cite this article as: Kappelle WFW, Bleys RLAW, van Wijck AJM, Siersema PD, Vleggaar FP, EUS-guided celiac ganglia neurolysis: a clinical and human cadaver study (with video), *Gastrointestinal Endoscopy* (2017), doi: 10.1016/j.gie.2017.01.041.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



ACCEPTED MANUSCRIPT

EUS-guided celiac ganglia neurolysis: a clinical and human cadaver study (with video)

Wouter F.W. Kappelle¹, MD; Ronald L.A.W. Bleys², MD, PhD; Albert J.M. van Wijck³, MD, PhD; Peter

D. Siersema^{1,4}, MD, PhD; Frank P. Vleggaar¹, MD, PhD

¹Department of Gastroenterology and Hepatology, University Medical Center Utrecht, the

Netherlands

²Department of Anatomy, University Medical Center Utrecht, the Netherlands

³Department of Anesthesiology, University Medical Center Utrecht, the Netherlands

⁴Department of Gastroenterology and Hepatology, Radboud University Medical Center, Nijmegen,

the Netherlands

Word count: 3497

Disclosures: None

Key words: Endoscopic ultrasonography, celiac plexus neurolysis, intractable pain, therapeutic

endoscopy, pancreatic cancer

Abbreviations:

CGN, celiac ganglia neurolysis; CPN, celiac plexus neurolysis; EUS, endoscopic ultrasound; FNA, fine

needle aspiration; HPB, hepatopancreatobiliary; IQR, inter quartile range; SD, standard deviation.

Corresponding author:

F.P. Vleggaar, MD, PhD

Department of Gastroenterology and Hepatology, University Medical Center Utrecht, P.O. Box

85500, 3508 GA Utrecht, The Netherlands.

E-mail: f.vleggaar@umcutrecht.nl, Tel: +31 88 75 51309, Fax: +31 88 75 55533

Acknowledgments: We would like to extend our sincere gratitude to Willem van Wolferen, Simon

Plomp, and Jan Willem de Groot, prosectors and laboratory technician at the Department of

Anatomy, University Medical Center Utrecht for all their help. Furthermore, we would like to thank

Annelot Krediet and Teus Weijs for their invaluable input and help with regard to processing the

cadavers and data.

Download English Version:

https://daneshyari.com/en/article/5659110

Download Persian Version:

https://daneshyari.com/article/5659110

<u>Daneshyari.com</u>