

Accepted Manuscript

A novel polytetrafluoroethylene-channel model, which simulates low levels of culturable bacteria in build-up biofilm after repeated endoscope reprocessing

Michelle J. Alfa, Maira M. Ribeiro, Cristiana da Costa Luciano, Rodrigo Franca, Nancy Olson, Pat DeGagne, Harminder Singh



PII: S0016-5107(17)31917-X

DOI: [10.1016/j.gie.2017.05.014](https://doi.org/10.1016/j.gie.2017.05.014)

Reference: YMGE 10576

To appear in: *Gastrointestinal Endoscopy*

Received Date: 23 February 2017

Accepted Date: 11 May 2017

Please cite this article as: Alfa MJ, Ribeiro MM, da Costa Luciano C, Franca R, Olson N, DeGagne P, Singh H, A novel polytetrafluoroethylene-channel model, which simulates low levels of culturable bacteria in build-up biofilm after repeated endoscope reprocessing, *Gastrointestinal Endoscopy* (2017), doi: 10.1016/j.gie.2017.05.014.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

A novel polytetrafluoroethylene-channel model, which simulates low levels of culturable bacteria in build-up biofilm after repeated endoscope reprocessing

Michelle J. Alfa^{1,2}, Maira M. Ribeiro³, Cristiana da Costa Luciano⁴, Rodrigo Franca⁵, Nancy Olson¹, Pat DeGagne¹, Harminder Singh⁶

¹ St. Boniface Research Centre, Winnipeg, MB, Canada

² Dept of Medical Microbiology, University of Manitoba, Winnipeg, MB, Canada

³ Clinical Hospital of Federal University of Minas Gerais, Belo Horizonte, MG, Brazil

⁴ University Federal of Goiás – UFG, Department of Nursing, Goiânia, Goiás, Brazil

⁵ Dept of Dentistry, University of Manitoba, Winnipeg, MB, Canada

⁶ Dept of Internal Medicine, University of Manitoba, Winnipeg MB, Canada

Corresponding author:

Dr. Michelle J. Alfa
St Boniface Research Centre
351 Tache Ave
Winnipeg, MB Canada
R2H 2A6
Tel: 204 235-3498
Email: malfa@sbrc.ca

Short title: VBNC in Buildup Biofilm model for flexible endoscope channels

Download English Version:

<https://daneshyari.com/en/article/5659222>

Download Persian Version:

<https://daneshyari.com/article/5659222>

[Daneshyari.com](https://daneshyari.com)