

# Accepted Manuscript

Predictors of outcomes in patients undergoing covered and uncovered self-expandable metal stent placement for malignant gastric outlet obstruction: a multicenter study

Yasuki Hori, MD, Itaru Naitoh, MD, Kazuki Hayashi, MD, Tesshin Ban, MD, Makoto Natsume, MD, Fumihiro Okumura, MD, Takahiro Nakazawa, MD, Hiroki Takada, MD, Atsuyuki Hirano, MD, Naruomi Jinno, MD, Shozo Togawa, MD, Tomoaki Ando, MD, Hiromi Kataoka, MD, Takashi Joh, MD

PII: S0016-5107(16)30433-3

DOI: [10.1016/j.gie.2016.07.048](https://doi.org/10.1016/j.gie.2016.07.048)

Reference: YMGE 10158


To appear in: *Gastrointestinal Endoscopy*

Received Date: 16 April 2016

Accepted Date: 1 July 2016

Please cite this article as: Hori Y, Naitoh I, Hayashi K, Ban T, Natsume M, Okumura F, Nakazawa T, Takada H, Hirano A, Jinno N, Togawa S, Ando T, Kataoka H, Joh T, Predictors of outcomes in patients undergoing covered and uncovered self-expandable metal stent placement for malignant gastric outlet obstruction: a multicenter study, *Gastrointestinal Endoscopy* (2016), doi: 10.1016/j.gie.2016.07.048.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



**Predictors of outcomes in patients undergoing covered and uncovered self-expandable metal stent placement for malignant gastric outlet obstruction: a multicenter study**

Yasuki Hori, MD<sup>1)</sup>, Itaru Naitoh, MD<sup>1)</sup>, Kazuki Hayashi, MD<sup>1)</sup>, Tesshin Ban, MD<sup>1)</sup>, Makoto Natsume, MD<sup>1)9)</sup>, Fumihiro Okumura, MD<sup>2)</sup>, Takahiro Nakazawa, MD<sup>3)</sup>, Hiroki Takada, MD<sup>4)</sup>, Atsuyuki Hirano, MD<sup>5)</sup>, Naruomi Jinno, MD<sup>6)</sup>, Shozo Togawa, MD<sup>7)</sup>, Tomoaki Ando, MD<sup>8)</sup>, Hiromi Kataoka, MD<sup>1)</sup>, and Takashi Joh, MD<sup>1)</sup>

1) Department of Gastroenterology and Metabolism, Nagoya City University Graduate School of Medical Sciences, Nagoya, Japan

2) Department of Gastroenterology, Gifu Prefectural Tajimi Hospital, Tajimi, Japan

3) Department of Gastroenterology, Nagoya Daini Red Cross Hospital, Nagoya, Japan

4) Department of Gastroenterology, Kasugai Municipal Hospital, Kasugai, Japan

5) Department of Gastroenterology, Nagoya City West Medical Center, Nagoya, Japan

6) Department of Gastroenterology, Toyokawa City Hospital, Toyokawa, Japan

7) Department of Gastroenterology, Japan Community Healthcare Organization Chukyo Hospital, Nagoya, Japan

Download English Version:

<https://daneshyari.com/en/article/5659762>

Download Persian Version:

<https://daneshyari.com/article/5659762>

[Daneshyari.com](https://daneshyari.com)