Accepted Manuscript

Distance from hospital impacts adverse event detection after outpatient endoscopy

Kathryn L. Jackson, MS, Satyender Goel, PhD, Abel Kho, MD, Rajesh N. Keswani, MD

PII: S0016-5107(16)30473-4

DOI: 10.1016/j.gie.2016.08.006

Reference: YMGE 10182

To appear in: Gastrointestinal Endoscopy

Received Date: 25 March 2016

Accepted Date: 1 August 2016

Please cite this article as: Jackson KL, Goel S, Kho A, Keswani RN, Distance from hospital impacts adverse event detection after outpatient endoscopy, *Gastrointestinal Endoscopy* (2016), doi: 10.1016/ j.gie.2016.08.006.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.



Distance from hospital impacts adverse event detection after outpatient endoscopy

Kathryn L. Jackson MS¹, Satyender Goel PhD¹, Abel Kho MD¹, Rajesh N. Keswani MD²

¹ Center for Health Information Partnerships, ² Division of Gastroenterology

Northwestern University Feinberg School of Medicine

Running Title: Detecting Adverse Events after Endoscopy

Grant Support: None

This work will be presented as a podium presentation at Digestive Diseases Week 2016 (San Diego, CA)

Contact Information:

Rajesh N. Keswani MD

rkeswani@nm.org

676 N. St. Clair

Suite 1400

Chicago, IL 60611

Word Count: 1667

Download English Version:

https://daneshyari.com/en/article/5659767

Download Persian Version:

https://daneshyari.com/article/5659767

Daneshyari.com