


# Accepted Manuscript

Usefulness of three-dimensional magnetic resonance cholangiopancreatography with partial maximum intensity projection for diagnosing autoimmune pancreatitis

shin yanagisawa, Yasunari Fujinaga, M.D, Takayuki Watanabe, M.D, Masahiro Maruyama, M.D, Takashi Muraki, M.D, Masaaki Takahashi, M.D, Akira Fujita, M.D, Sachie Fujita, M.D, Masahiro Kurozumi, M.D, Kazuhiko Ueda, M.D, Hideaki Hamano, M.D, Shigeyuki Kawa, M.D, Masumi Kadoya, M.D



PII: S1424-3903(17)30082-0

DOI: [10.1016/j.pan.2017.05.001](https://doi.org/10.1016/j.pan.2017.05.001)

Reference: PAN 723

To appear in: *Pancreatology*

Received Date: 12 December 2016

Revised Date: 23 March 2017

Accepted Date: 4 May 2017

Please cite this article as: yanagisawa s, Fujinaga Y, Watanabe T, Maruyama M, Muraki T, Takahashi M, Fujita A, Fujita S, Kurozumi M, Ueda K, Hamano H, Kawa S, Kadoya M, Usefulness of three-dimensional magnetic resonance cholangiopancreatography with partial maximum intensity projection for diagnosing autoimmune pancreatitis, *Pancreatology* (2017), doi: 10.1016/j.pan.2017.05.001.

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting proof before it is published in its final form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

**Title**

Usefulness of three-dimensional magnetic resonance cholangiopancreatography with partial maximum intensity projection for diagnosing autoimmune pancreatitis

Download English Version:

<https://daneshyari.com/en/article/5661276>

Download Persian Version:

<https://daneshyari.com/article/5661276>

[Daneshyari.com](https://daneshyari.com)