Author's Accepted Manuscript

The utility of weight loss medications after bariatric surgery for weight regain or inadequate weight loss: A multi-center study

Fatima Cody Stanford, Nasreen Alfaris, Gricelda Gomez, Elizabeth T. Ricks, Alpana P. Shukla, Kathleen E. Corey, Janey S. Pratt, Alfons Pomp, Francesco Rubino, Louis J. Aronne



PII: S1550-7289(16)30774-2

DOI: http://dx.doi.org/10.1016/j.soard.2016.10.018

Reference: SOARD2811

To appear in: Surgery for Obesity and Related Diseases

Cite this article as: Fatima Cody Stanford, Nasreen Alfaris, Gricelda Gomez, Elizabeth T. Ricks, Alpana P. Shukla, Kathleen E. Corey, Janey S. Pratt, Alfons Pomp, Francesco Rubino and Louis J. Aronne, The utility of weight loss medications after bariatric surgery for weight regain or inadequate weight loss: A multi-center study, *Surgery for Obesity and Related Diseases*, http://dx.doi.org/10.1016/j.soard.2016.10.018

This is a PDF file of an unedited manuscript that has been accepted for publication. As a service to our customers we are providing this early version of the manuscript. The manuscript will undergo copyediting, typesetting, and review of the resulting galley proof before it is published in its final citable form. Please note that during the production process errors may be discovered which could affect the content, and all legal disclaimers that apply to the journal pertain.

ACCEPTED MANUSCRIPT

The utility of weight loss medications after bariatric surgery for weight regain or inadequate weight loss: A multi-center study

Running Head: The utility of weight loss medications after weight loss surgery

Fatima Cody Stanford, MD, MPH, MPA ^{1, 2, 4}
Nasreen Alfaris, MD, MPH ^{1, 3,4}
Gricelda Gomez, BS ^{4, 5}
Elizabeth T. Ricks, MS ^{6, 7, 8}
Alpana P. Shukla, MD ⁶
Kathleen E. Corey, MD, MPH, MMSc ^{4, 9}
Janey S. Pratt, MD ^{4, 10}
Alfons Pomp, MD ¹¹
Francesco Rubino, MD ¹²
Louis J. Aronne, MD ⁶

¹MGH Weight Center, Gastrointestinal Unit-Department of Medicine, Massachusetts General Hospital, Boston, MA; ²Department of Pediatrics, Massachusetts General Hospital; ³Obesity, Metabolism and Nutrition Institute, Massachusetts General Hospital, Boston, MA ⁴Harvard Medical School Boston, MA; ⁵Harvard T.H. Chan School of Public Health, Boston, MA;
 ⁶Comprehensive Weight Control Center, Division of Endocrinology, Diabetes, and Metabolism, Department of Medicine, Weill Cornell Medical College, New York, NY; ⁷Institute of Human Nutrition, Columbia University, New York, NY; ⁸Texas Tech University- Paul L. Foster School of Medicine, El Paso, TX; ⁹Gastrointestinal Unit-Department of Medicine, Massachusetts General Hospital, Boston, MA ¹⁰Department of Surgery, Massachusetts General Hospital, Boston, MA; ¹¹Department of GI Metabolic and Bariatric Surgery, Weill Cornell Medical College, New York, NY, ¹² Department of Metabolic and Bariatric Surgery, Kings College London and Kings College Hospital, London, UK

Correspond to:

Fatima Cody Stanford, MD, MPH, MPA MGH Weight Center, 50 Staniford Street, Suite 430 Boston, MA 02114

Tel: 617-726-4400; Fax: 617-724-6565

fstanford@mgh.harvard.edu

Download English Version:

https://daneshyari.com/en/article/5662012

Download Persian Version:

https://daneshyari.com/article/5662012

<u>Daneshyari.com</u>